

This safety data sheet was created pursuant to the requirements of: Hazardous Substances (Safety Data Sheets) Notice 2017 EPA Consolidation 30 September 2022

BOSTIK SIMSON ISR 70-03 GREY Revision Number 2

Revision date 05-May-2025 Supersedes date 05-Apr-2023

Section 1: Identification

Product identifier

Product Name BOSTIK SIMSON ISR 70-03 GREY

Other means of identification

Recommended use of the chemical and restrictions on use

Recommended use Adhesives

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Manufacturer
Postik New Zoaland Limited Rostik SA

Bostik New Zealand Limited Bostik SA 19 Eastern Hutt Road Wingate, 51 Esplan

19 Eastern Hutt Road Wingate, 51 Esplanade du Général de Gaulle Lower Hutt, New Zealand 92800 Puteaux – La Défense

Tel: 04-567 5119 FRANCE

Fax: 04-567 5412 Tel: +33 (0)1 49 00 90 00

E-mail address SDS.AP@Bostik.com

Emergency telephone number

Emergency Telephone 24 Hr: 0800 243 622

International +64 4 917 9888 Poison Centre: 0800 764 766

Section 2: Hazard identification

GHS Classification

Not a hazardous substance or mixture according to the Globally Harmonized System (GHS). Not classified.

Label elements

Hazard statements

Other hazards which do not result in classification

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

Section 3: Composition/information on ingredients

Chemical name	CAS No.	Weight-%
Carbonic acid, calcium salt (1:1)	471-34-1	20- <40
Precipitated nano calcium carbonate coated with calcium	471-34-1	10 - <20
stearate		
Trimethoxyvinylsilane	2768-02-7	1 - <3
1-Propanamine, 3-(trimethoxysilyl)-	13822-56-5	1 - <3

New Zealand Page 1 / 11

BOSTIK SIMSON ISR 70-03 GREY

Revision Number 2 Supersedes date 05-Apr-2023

Chemical name	CAS No.	Weight-%
Titanium dioxide	13463-67-7	1 - <3
Non-hazardous ingredients	Proprietary	Balance

Section 4: First-aid measures

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. If medical advice is needed,

have product container or label at hand.

Inhalation Remove to fresh air. If symptoms persist, call a physician.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Skin contact Wash skin with soap and water.

Ingestion Small amounts of toxic methanol are released by hydrolysis. Small amounts of toxic

methanol are released by hydrolysis. Call a physician immediately. Never give anything

Revision date 05-May-2025

by mouth to an unconscious person. Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed

Symptoms None known.

Effects of Exposure No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

curing. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released, when the product is exposed to moisture or water. Treat symptomatically.

Section 5: Fire-fighting measures

Suitable Extinguishing Media

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Full water jet.

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous combustion products Carbon oxides. Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx). Silicon

dioxide.

Special protective actions for fire-fighters

Special protective equipment and Wear self contained breathing apparatus for fire fighting if necessary.

precautions for fire-fighters

New Zealand Page 2 / 11

BOSTIK SIMSON ISR 70-03 GREY

Revision date 05-May-2025 **Revision Number** 2 Supersedes date 05-Apr-2023

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Ensure adequate ventilation. Do not get

in eyes, on skin, or on clothing.

For emergency responders Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section

12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Do not scatter spilled material with high pressure water streams.

Pick up and transfer to properly labeled containers. Methods for cleaning up

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and after

work.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a cool, well-ventilated place. Protect from moisture.

Keep away from food, drink and animal feeding stuffs.

Recommended storage

temperature

Keep at temperatures between 50 and 95 °F / 10 and 35 °C. Keep at temperatures

between 50 and 95 °F / 10 and 35 °C.

Incompatible materials None known based on information supplied.

Section 8: Exposure controls/personal protection

Working area parameters, subject to mandatory control (MAC or TSEL)

This product contains substances which in their raw state are powder form, however in **Exposure Limits**

this product they are in a non-respirable form. Inhalation of powder/dust particles is unlikely to occur from exposure to this product. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. This product contains titanium dioxide in a non-respirable form. Inhalation of titanium dioxide is unlikely to

occur from exposure to this product.

Chemical name	New ∠ealand	ACGIH ILV	United Kingdom	Australia

New Zealand Page 3 / 11

BOSTIK SIMSON ISR 70-03 GREY

Revision date 05-May-2025 **Revision Number** 2 Supersedes date 05-Apr-2023

Carbonic acid, calcium salt (1:1) 471-34-1	TWA: 10 mg/m³;	-	-	TWA: 10 mg/m³; inhalable dust
Precipitated nano calcium carbonate coated with calcium stearate 471-34-1	TWA: 10 mg/m³;	-	-	TWA: 10 mg/m³; inhalable dust
Titanium dioxide 13463-67-7	TWA: 10 mg/m³;	TWA: 0.2 mg/m³ nanoscale respirable particulate matter TWA: 2.5 mg/m³ finescale respirable particulate matter	TWA: 10 mg/m³; total inhalable TWA: 4 mg/m³; respirable STEL: 30 mg/m³; total inhalable STEL: 12 mg/m³; respirable	TWA: 10 mg/m³; inhalable dust
Chemical name	New Zealand	ACGIH TLV	United Kingdom	Australia
Methyl alcohol 67-56-1	TWA: 200 ppm; TWA: 262 mg/m³; STEL: 250 ppm; STEL: 328 mg/m³; dSk	TWA: 200 ppm STEL: 250 ppm pSk	TWA: 200 ppm; TWA: 266 mg/m ³ ; STEL: 250 ppm; STEL: 333 mg/m ³ ; pSk	TWA: 200 ppm; TWA: 262 mg/m³; STEL: 250 ppm; STEL: 328 mg/m³;

limits

Biological occupational exposure This product, as supplied, does not contain any hazardous materials with biological limits

established by the region specific regulatory bodies.

Appropriate engineering controls

Showers **Engineering controls**

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

No special protective equipment required. Eye/face protection

Hand protection No special protective equipment required.

Skin and body protection No special protective equipment required.

No protective equipment is needed under normal use conditions. If exposure limits are Respiratory protection

exceeded or irritation is experienced, ventilation and evacuation may be required.

No information available. Environmental exposure controls

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Solid Paste **Appearance** Color Gray Odor Slight. **Odor threshold** Not applicable

Remarks • Method **Property** Values No data available Reacts with water рΗ

Not applicable Melting point / freezing No data available

point

New Zealand Page 4 / 11

BOSTIK SIMSON ISR 70-03 GREY

Revision Number 2

Revision date 05-May-2025 Supersedes date 05-Apr-2023

Initial boiling point and No data available

boiling range

Flash point
Evaporation rate
Flammability
No data available
No data available
No data available

Flammability Limit in

Air

Upper flammability or No data available

explosive limits

Lower flammability or No data available

explosive limits

Vapor pressure
Relative vapor density
Relative density
Water solubility
Solubility(ies)
Partition coefficient
Autoignition
No data available

temperature Decomposition temperature

Kinematic viscosity No data available Dynamic viscosity 10000 - Pa.s

Not applicable

None known

None known

CC (closed cup)

Not applicable Not applicable None known Reacts with water None known None known

None known

None known None known @ 20 °C

Explosive properties

No information available.

Oxidizing properties

No information available.

Other information

Softening point
Molecular weight
VOC content
Liquid Density

No information available
No information available
No information available
1.48 g/ml

Bulk density No information available

Particle characteristics Not applicable

Section 10: Stability and reactivity

Reactivity

Reactivity Product cures with moisture.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

Conditions to avoid Product cures with moisture. Protect from moisture. Exposure to air or moisture over

prolonged periods. Do not freeze. Keep away from open flames, hot surfaces and

sources of ignition.

New Zealand Page 5 / 11

BOSTIK SIMSON ISR 70-03 GREY

Revision Number 2 Supersedes date 05-Apr-2023

Incompatible materials

Incompatible materials None known based on information supplied.

Hazardous decomposition products

Hazardous decomposition

products

None under normal use conditions. Small amounts of methanol (CAS 67-56-1) are

Revision date 05-May-2025

formed by hydrolysis and released upon curing.

Section 11: Toxicological information

Acute toxicity

Information on likely routes of exposure

Product Information

Inhalation Based on available data, the classification criteria are not met.

Eye contact The test item induced a mean In-vitro irritancy score ≤ 3, the test item was considered

as a test chemical not requiring classification for eye irritation or serious eye damage (UN

GHS No Category).

Skin contactBased on available data, the classification criteria are not met. May cause sensitization in

susceptible persons.

Ingestion Based on available data, the classification criteria are not met.

Symptoms No information available.

Acute toxicity . . .

Numerical measures of toxicity

The following ATE values have been calculated for the mixture

 ATEmix (oral)
 39,973.50 mg/kg

 ATEmix (dermal)
 >5000 mg/kg

 ATEmix (inhalation-gas)
 >20000 ppm

 ATEmix (inhalation-vapor)
 331.90 mg/l

 ATEmix (inhalation-dust/mist)
 >5 mg/l

Component Information

Component information			
Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Carbonic acid, calcium salt	LD50 > 2000 mg/kg (Rattus)	LD50 >2000 mg/kg (Rattus)	LC50 (4h) >3mg/ml (Rattus)
(1:1)	OECD 420	OECD 402	-
Precipitated nano calcium	= 6450 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 3.003 mg/L (Rat) 4 h
carbonate coated with calcium			-
stearate			
Trimethoxyvinylsilane	LD50 = 7120 -7236 mg/kg	= 3540 mg/kg (Oryctolagus	LC50 (4hr) 16.8 mg/l (Rattus)
	(Rattus) OECD 401	cuniculus)	OECD TG 403
1-Propanamine,	LD50 (Rattus) > 2000 mg/ kg	LD50 (Oryctolagus cuniculus) >	-
3-(trimethoxysilyl)-	(2,97 ml/kg) (OECD 401)	2000 mg/kg 11,3 ml/kg)	
		OECD 402	
Titanium dioxide	>10000 mg/kg (Rattus)	LD50 > 5000 mg/Kg	= 5.09 mg/L (Rattus) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

New Zealand Page 6 / 11

BOSTIK SIMSON ISR 70-03 GREY Revision Number 2

Revision date 05-May-2025 Supersedes date 05-Apr-2023

Method	Species	Exposure route	Effective dose	Exposure time	Results
	Rabbit	Dermal	0.5 mL	24 hours	Non-irritant

Titanium dioxide (13463-67-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404:	Rabbit	Dermal			Non-irritant
Acute Dermal					
Irritation/Corrosion					

Serious eye damage/eye irritation

No classification is proposed, based on conclusive negative data. By analogy to another tested similar product: No irritation after contact to the eyes. (H319 is void).

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD 437 Bovine	Bovine	Corneal	Product 100 %	10 minutes	Product score
Corneal Opacity and					<3
Permeability (BCOP) test					Non-irritant

Component Information

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	eye		24 hours	Non-irritant
Acute Eye					
Irritation/Corrosion					

1-Propanamine, 3-(trimethoxysilyl)- (13822-56-5)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	eve		72 hours	irritant
Acute Eve	I (dbbit	Cyc		7 Z Hours	irritarit
Irritation/Corrosion					

Titanium dioxide (13463-67-7)

Thathath dioxide (16166-61-1)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	Eye			Non-irritant
Acute Eye					
Irritation/Corrosion					

Respiratory or skin sensitization

OECD Test No. 406: Skin Sensitization. No sensitization responses were observed. No classification is proposed, based on conclusive negative data. May cause sensitization in susceptible persons.

Method	Species	Exposure route	Results
OECD Test No. 406: Skin	Guinea pig	Dermal	No sensitization responses
Sensitization			were observed

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Results
OECD Test No. 471: Bacterial Reverse	in vitro	Not mutagenic
Mutation Test		_

Carcinogenicity

This product contains substances which in their raw state are powder form, however in this product they are in a non-respirable form. Inhalation of powder/dust particles is unlikely to occur from exposure to this product.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Objectively and a series New Zeeland	The table below indicates whether each agency has listed any ingredient as a sarollogen.			
Chemical name New Zealand IARC	IARC	New Zealand	Chemical name	

New Zealand Page 7 / 11

BOSTIK SIMSON ISR 70-03 GREY

Revision Number 2 Supersedes date 05-Apr-2023

Revision date 05-May-2025

1100110111011010111	Titanium dioxide - 13463-67-7	•	Group 2B
---------------------	-------------------------------	---	----------

Legend

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Reproductive toxicity Based on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Results
OECD Test No. 422: Combined Repeated Dose	Rat	Not Classifiable
Toxicity Study with the		
Reproduction/Developmental Toxicity Screening		
Test		

STOT - single exposure Based on available data, the classification criteria are not met.

Narcotic effects No information available.

STOT - repeated exposureBased on available data, the classification criteria are not met.

Trimethoxyvinylsilane (2768-02-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 413:	Rat	Inhalation vapor		90 days	0.058 NOAEL
Subchronic Inhalation		·			
Toxicity: 90-day Study					

Aspiration hazard Based on available data, the classification criteria are not met.

Section 12: Ecological information

Ecotoxicity

Ecotoxicity

Aquatic ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Crustacea
Carbonic acid, calcium salt	IC50 72H Algae >1000 mg/l	CL50 96H >1000 mg/l	EC50 48H Daphnia >1000 mg/l
(1:1)			
Trimethoxyvinylsilane	EC 50 (72h) > 957 mg/l	LC50 (96h) = 191 mg/l	EC50(48hr) 168.7mg/l (Daphnia
	(Desmodesmus subspicatus)	(Oncorhynchus mykiss)	magna)
	EU Method C.3		
1-Propanamine,	EC50 (72h) > 1000 mg/l	LC50 (96h) > >934 mg/L (Danio	EC50 (48h) = 331 mg/L (Daphnia
3-(trimethoxysilyl)-	(Desmodesmus subspicatus)	rerio)	magna)
(united toxyonyt)	EÙ Method C.3 (Algal Inhibition	OECD 203	OECD 202
	test)		
Titanium dioxide	LC50 (96h) >10000 mg/l	-	-
	(Cyprinodon variegatus) OECD 203		

Terrestrial ecotoxicity There is no data for this product.

Persistence and degradability No information available.

New Zealand Page 8 / 11

BOSTIK SIMSON ISR 70-03 GREY

Revision date 05-May-2025 **Revision Number** 2 Supersedes date 05-Apr-2023

Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient	
Trimethoxyvinylsilane	1.1	

Mobility in soil

Mobility No information available.

Other adverse effects

No information available.

Disposal methods

Waste from residues/unused

products

Not applicable. Not Hazardous. Dispose of contents/container in accordance with local,

regional, national, and international regulations as applicable.

Contaminated packaging Not applicable. Not Hazardous. Handle contaminated packages in the same way as the

product itself.

Section 14: Transport information

Not regulated IATA

IMDG Not regulated

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available

ADR Not regulated

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

EPA New Zealand HSNO approval

code or group standard

Not applicable

There are no applicable tolerable exposure limits or environmental exposure limits **National regulations**

according to the EPA Controls for Hazardous Substances

Certified handlers, tracking and controlled substance license

requirements

Certified handlers are required for some substances. This includes substances requiring a controlled substance license, and most explosives, vertebrates toxic agents, and certain fumigants. Acutely toxic substances which are a Category 1 or 2, such as pesticides also require Certified handlers. Please check the Health and Safety at Work Act 2015 for further information

Tracking is required for some highly hazardous substances. These substances need to be under the control of an appropriately trained person or appropriately secured. Please

check the Health and Safety at Work Act 2015 for further information

Controlled substance licenses are required to possess certain explosives, vertebrate toxic agents and fumigants. See Part 7 of the Health and Safety at Work Regulation 2017

for more information

New Zealand Page 9 / 11

BOSTIK SIMSON ISR 70-03 GREY

Revision Number 2

Revision date 05-May-2025 Supersedes date 05-Apr-2023

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Europe

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Section 16: Other information

Prepared By Product Safety & Regulatory Affairs

Revision date 05-May-2025

Revision Note

SDS sections updated. 1. 2. 3. 8. 9. 11. 12. 15.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

SVHC: Substances of Very High Concern for Authorization:
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT: Specific Target Organ Toxicity

ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration

LD50: 50% Lethal Dose

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk* Skin designation

** Hazard Designation + Sensitizers

C Carcinogen

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

Environmental Protection Agency

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

New Zealand Page 10 / 11

BOSTIK SIMSON ISR 70-03 GREY Revision Number 2

Revision date 05-May-2025 Supersedes date 05-Apr-2023

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

New Zealand Page 11 / 11