



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
GHS: The Globally Harmonized System of Classification and Labeling of Chemicals

**BOSTIK SIL. INDUSTRIAL GRADE CLEAR**  
Revision Number 3.03

Revision date 25-Oct-2021  
Supersedes Date: 21-Sep-2021

## Section 1: Identification

### Product identifier

**Product Name** BOSTIK SIL. INDUSTRIAL GRADE CLEAR

### Other means of identification

### Recommended use of the chemical and restrictions on use

**Recommended use** Sealant

**Uses advised against** No information available

### Details of the supplier of the safety data sheet

#### Supplier

Bostik New Zealand Limited  
19 Eastern Hutt Road Wingate,  
Lower Hutt, New Zealand  
Tel: 04-567 5119  
Fax: 04-567 5412

#### Manufacturer

Bostik New Zealand Limited  
19 Eastern Hutt Road Wingate,  
Lower Hutt, New Zealand  
Tel: 04-567 5119  
Fax: 04-567 5412

**E-mail address** SDS.AP@Bostik.com

### Emergency telephone number

**Emergency Telephone** 24 Hr: 0800 243 622  
+64 4 917 9888  
Poison Centre : 0800 764 766

## Section 2: Hazard identification

### GHS Classification

<b>Acute toxicity - Oral</b>	Category 5 (HSNO - 6.1E)
<b>Skin corrosion/irritation</b>	Category 3 (HSNO - 6.3B)
<b>Serious eye damage/eye irritation</b>	Category 2 (HSNO - 6.4A)
<b>Skin sensitization</b>	Category 1 (HSNO - 6.5B)
<b>Carcinogenicity</b>	Category 2 (HSNO - 6.7B)
<b>Specific target organ toxicity (repeated exposure)</b>	Category 2 (HSNO - 6.9B)

### Label elements



**Signal word**  
Warning

### **Hazard statements**

H303 - May be harmful if swallowed  
H316 - Causes mild skin irritation

# SAFETY DATA SHEET

**BOSTIK SIL. INDUSTRIAL GRADE CLEAR**  
Revision Number 3.03

Revision date 25-Oct-2021  
Supersedes Date: 21-Sep-2021

H317 - May cause an allergic skin reaction  
H319 - Causes serious eye irritation  
H351 - Suspected of causing cancer  
H373 - May cause damage to organs through prolonged or repeated exposure

## Precautionary Statements - Prevention

Obtain special instructions before use  
Do not handle until all safety precautions have been read and understood  
Wear protective gloves/protective clothing/eye protection/face protection  
Wash face, hands and any exposed skin thoroughly after handling  
Contaminated work clothing should not be allowed out of the workplace  
Do not breathe dust/fume/gas/mist/vapors/spray

## Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

### Skin

IF ON SKIN: Wash with plenty of water and soap

If skin irritation or rash occurs: Get medical advice/attention

Take off contaminated clothing and wash it before reuse

## Precautionary Statements - Storage

Store locked up

## Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

## Other hazards which do not result in classification

Small amounts of 2-butanone, oxime (CAS 96-29-7) are formed by hydrolysis and released upon curing.

## Section 3: Composition/information on ingredients

Chemical name	CAS No	Weight-%
2-Butanone, O,O',O''-(methylsilylidyne)trioxime	22984-54-9	1 - <5
2-Butanone, oxime	96-29-7	1 - <3
Non-hazardous ingredients	Proprietary	Balance

## Section 4: First-aid measures

### Description of first aid measures

<b>General advice</b>	Show this safety data sheet to the doctor in attendance. If medical advice is needed, have product container or label at hand.
<b>Inhalation</b>	Remove to fresh air. If symptoms persist, call a physician.
<b>Eye contact</b>	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Consult an ophthalmologist.
<b>Skin contact</b>	Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.
<b>Ingestion</b>	Never give anything by mouth to an unconscious person. Rinse mouth thoroughly with water. Drink 1 or 2 glasses of water. Do NOT induce vomiting.
<b>Self-protection of the first aider</b>	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

# SAFETY DATA SHEET

BOSTIK SIL. INDUSTRIAL GRADE CLEAR  
Revision Number 3.03

Revision date 25-Oct-2021  
Supersedes Date: 21-Sep-2021

## Most important symptoms and effects, both acute and delayed

Symptoms None known.

## Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

## **Section 5: Fire-fighting measures**

### Suitable Extinguishing Media

Suitable Extinguishing Media Water spray, carbon dioxide (CO<sub>2</sub>), dry chemical, alcohol-resistant foam.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Full water jet.

### Specific hazards arising from the chemical

Specific hazards arising from the chemical Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous combustion products Nitrogen oxides (NO<sub>x</sub>).

### Special protective actions for fire-fighters

Special protective equipment and precautions for fire-fighters Wear self contained breathing apparatus for fire fighting if necessary.

## **Section 6: Accidental release measures**

### Personal precautions, protective equipment and emergency procedures

Personal precautions Do not get in eyes, on skin, or on clothing. Use personal protective equipment as required. Ensure adequate ventilation.

Other information Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

### Environmental precautions

Environmental precautions Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section 12 for additional Ecological Information.

### Methods and material for containment and cleaning up

Methods for containment Do not scatter spilled material with high pressure water streams.

Methods for cleaning up Pick up and transfer to properly labeled containers.

### Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

## **Section 7: Handling and storage**

### Precautions for safe handling

# SAFETY DATA SHEET

BOSTIK SIL. INDUSTRIAL GRADE CLEAR  
Revision Number 3.03

Revision date 25-Oct-2021  
Supersedes Date: 21-Sep-2021

**Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

**General hygiene considerations** Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Take off contaminated clothing and wash it before reuse.

## Conditions for safe storage, including any incompatibilities

**Storage Conditions** Protect from moisture. Keep away from food, drink and animal feeding stuffs.

**Incompatible materials** Strong oxidizing agents.

## **Section 8: Exposure controls/personal protection**

### Control parameters

**Exposure Limits** This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

**Biological occupational exposure limits** This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

### Appropriate engineering controls

**Engineering controls** Showers  
Eyewash stations  
Ventilation systems.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Hand protection** Wear suitable gloves.

**Skin and body protection** Wear suitable protective clothing.

**Respiratory protection** No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

**Environmental exposure controls** No information available.

## **Section 9: Physical and chemical properties**

### Information on basic physical and chemical properties

**Physical state** Paste / Gel Liquid  
**Appearance** Paste  
**Color** Clear, colorless  
**Odor** Characteristic.  
**Odor threshold** No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No data available	Not applicable Insoluble in water
Melting point / freezing point	No data available	None known
Initial boiling point and boiling range	No data available	None known

# SAFETY DATA SHEET

BOSTIK SIL. INDUSTRIAL GRADE CLEAR  
Revision Number 3.03

Revision date 25-Oct-2021  
Supersedes Date: 21-Sep-2021

Flash point	No data available	None known
Evaporation rate	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known
Relative vapor density	No data available	None known
Relative density	No data available	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature		None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Explosive properties	No information available.	
Oxidizing properties	No information available.	
<u>Other information</u>		
Softening Point	No information available	
Molecular weight	No information available	
VOC Content (%)	No information available	
Density	1	
Bulk density	No information available	
Particle characteristics		

## Section 10: Stability and reactivity

### Reactivity

Reactivity Product cures with moisture.

### Chemical stability

Stability Stable under normal conditions.

### Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

### Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

### Conditions to avoid

Conditions to avoid Product cures with moisture. Protect from moisture. Exposure to air or moisture over prolonged periods. Do not freeze. Keep away from open flames, hot surfaces and sources of ignition.

### Incompatible materials

Incompatible materials Strong oxidizing agents.

### Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

# SAFETY DATA SHEET

BOSTIK SIL. INDUSTRIAL GRADE CLEAR  
Revision Number 3.03

Revision date 25-Oct-2021  
Supersedes Date: 21-Sep-2021

## Section 11: Toxicological information

### Acute toxicity

#### Information on likely routes of exposure

#### Product Information

<b>Inhalation</b>	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.
<b>Eye contact</b>	Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.
<b>Skin contact</b>	May cause sensitization by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). May cause irritation. Prolonged contact may cause redness and irritation. Causes mild skin irritation.
<b>Ingestion</b>	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May be harmful if swallowed.
<b>Symptoms</b>	Itching. Rashes. Hives. May cause redness and tearing of the eyes. Prolonged contact may cause redness and irritation.

### Acute toxicity

#### Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	4,547.60 mg/kg
ATEmix (dermal)	23,429.20 mg/kg

#### Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
2-Butanone, O,O',O''-(methylsilylidyne)trioxi me	LD50 = 2463 mg/Kg (Rattus) (OECD 401)	LD50 >2000 mg/Kg (Rattus) (OECD 402)	-
2-Butanone, oxime	=100 mg/kg (ATE)	1000 - 1800 mg/kg (Oryctolagus cuniculus)	>4.83 mg/L (Rattus) 4 h

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

<b>Skin corrosion/irritation</b>	May cause skin irritation. Classification based on data available for ingredients.
<b>Serious eye damage/eye irritation</b>	Classification based on data available for ingredients. Causes serious eye irritation.
<b>Respiratory or skin sensitization</b>	May cause sensitization by skin contact.
<b>Germ cell mutagenicity</b>	Based on available data, the classification criteria are not met.
<b>Carcinogenicity</b>	Contains a known or suspected carcinogen. Classification based on data available for ingredients. Suspected of causing cancer.

# SAFETY DATA SHEET

BOSTIK SIL. INDUSTRIAL GRADE CLEAR  
Revision Number 3.03

Revision date 25-Oct-2021  
Supersedes Date: 21-Sep-2021

Method	Species	Results
OECD Test No. 453: Combined Chronic Toxicity/Carcinogenicity Studies	Rat	Carcinogenic

<b>Reproductive toxicity</b>	Based on available data, the classification criteria are not met.
<b>STOT - single exposure</b>	Based on available data, the classification criteria are not met.
<b>Respiratory irritation</b>	No information available.
<b>Narcotic effects</b>	No information available.
<b>STOT - repeated exposure</b>	May cause damage to organs through prolonged or repeated exposure.
<b>Aspiration hazard</b>	Based on available data, the classification criteria are not met.

## Section 12: Ecological information

### Ecotoxicity

#### Ecotoxicity

#### Aquatic ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Crustacea
2-Butanone, O,O',O''-(methylsilylidyne)trioxime	EC50 (72h) = 94 mg/L (Pseudokirchneriella subcapitata) OECD 201	EC50 (96h) >120 mg/L (Oncorhynchus mykiss) Freshwater static (OECD guideline 203)	EC50 (48h) > 120 mg/L (Daphnia magna) OECD 202
2-Butanone, oxime	EC50: =83mg/L (72h, Desmodesmus subspicatus)	LC50: =760mg/L (96h, Poecilia reticulata) LC50: 777 - 914mg/L (96h, Pimephales promelas) LC50: 320 - 1000mg/L (96h, Leuciscus idus)	EC50: =750mg/L (48h, Daphnia magna)

**Terrestrial ecotoxicity** There is no data for this product.

**Persistence and degradability** No information available.

### Bioaccumulative potential

**Bioaccumulation** There is no data for this product.

### Component Information

Chemical name	Partition coefficient
2-Butanone, O,O',O''-(methylsilylidyne)trioxime	1.69
2-Butanone, oxime	0.65

### Mobility in soil

### Other adverse effects

No information available.

# SAFETY DATA SHEET

BOSTIK SIL. INDUSTRIAL GRADE CLEAR  
Revision Number 3.03

Revision date 25-Oct-2021  
Supersedes Date: 21-Sep-2021

## Section 13: Disposal considerations

### Disposal methods

**Waste from residues/unused products** Dispose of product in packaging in a way that is consistent with the EPA Consolidation 30 April 2021 of the Hazardous Substances (Disposal) Notice 2017 and the Act. Treat the substance using a method that changes the characteristics or composition of the substance so that the substance is no longer a hazardous substance; or export the substance from New Zealand as waste. Substances which are hazardous to human health or corrosive to metals – may be discharged into the environment if a tolerable exposure limit has been set for the substance (or a component of that substance); and the discharge does not, after reasonable mixing, result in the concentration of the substance in an environmental medium exceeding the tolerable exposure limit. If there is no tolerable exposure limit for the substance, then it may only be discharged into the environment if the substance is very rapidly converted to substances that are not hazardous substances. Uncured product should be disposed of as hazardous waste. Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

**Contaminated packaging** Handle contaminated packages in the same way as the product itself.

## Section 14: Transport information

**IATA** Not regulated

**IMDG** Not regulated

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**  
No information available

**ADR** Not regulated

## Section 15: Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### New Zealand

**ERMA Group** HSR002679

Chemical name	New Zealand HSNO Chemical Classification
2-Butanone, oxime - 96-29-7	- 3.1C,6.1D (All),6.1D (O),6.1D (D),6.1D (I),6.3B,6.4A,6.5B,6.7B,6.9B (All),6.9B (I),6.9B (O),9.1C (A),9.1C (All),9.2A,9.3B (HSR001191) 10-18% in a non hazardous diluent - 6.3B,6.4A,6.5B,6.7B,6.9B (All),6.9B (O),6.9B (I),9.2B,9.3C (HSR006484)

**National regulations** There are no applicable tolerable exposure limits or environmental exposure limits according to the EPA Controls for Hazardous Substances

**Certified handlers, tracking and controlled substance license requirements** Certified handlers are required for some substances. This includes substances requiring a controlled substance license, and most explosives, vertebrates toxic agents, and certain fumigants. Acutely toxic substances which are a Category 1 or 2, such as pesticides also require Certified handlers. Please check the Health and Safety at Work Act 2015 for further information  
Tracking is required for some highly hazardous substances. These substances need to be under the control of an appropriately trained person or appropriately secured. Please



# SAFETY DATA SHEET

**BOSTIK SIL. INDUSTRIAL GRADE CLEAR**  
Revision Number 3.03

Revision date 25-Oct-2021  
Supersedes Date: 21-Sep-2021

check the Health and Safety at Work Act 2015 for further information  
Controlled substance licenses are required to possess certain explosives, vertebrate toxic agents and fumigants. See Part 7 of the Health and Safety at Work Regulation 2017 for more information

**EPA New Zealand HSNO approval  
code or group standard**

## International Regulations

**The Montreal Protocol on Substances that Deplete the Ozone Layer** Not applicable

**The Stockholm Convention on Persistent Organic Pollutants** Not applicable

**The Rotterdam Convention** Not applicable

## **Section 16: Other information**

**Revision date** 25-Oct-2021

### **Revision Note**

The symbol (\*) in the margin of this SDS indicates that this line has been revised.

### **Key or legend to abbreviations and acronyms used in the safety data sheet**

#### Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
C	Carcinogen		

### **Key literature references and sources for data used to compile the SDS**

EPA (Environmental Protection Agency)

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

World Health Organization

### Disclaimer

**The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text**

**End of Safety Data Sheet**