

This safety data sheet was created pursuant to the requirements of: GHS: The Globally Harmonized System of Classification and Labeling of Chemicals

BOSTIK RTV 926 Transparent Revision Number 1.01

Revision date 26-Aug-2024 Supersedes date 04-Aug-2019

Section 1: Identification

Product identifier

Product Name BOSTIK RTV 926 Transparent

Other means of identification

Recommended use of the chemical and restrictions on use

Recommended use Sealant

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier

Bostik New Zealand Limited 19 Eastern Hutt Road Wingate, Lower Hutt, New Zealand

Tel: 04-567 5119 Fax: 04-567 5412

E-mail address SDS.AP@Bostik.com

Emergency telephone number

Emergency Telephone 24 Hr: 0800 243 622

International +64 4 917 9888 Poison Centre : 0800 764 766

Section 2: Hazard identification

GHS Classification

| Serious eye damage/eye irritation | Category 2 |
|--|------------|
| Skin sensitization | Category 1 |
| Reproductive toxicity | Category 2 |
| Specific target organ toxicity (repeated exposure) | Category 2 |
| Chronic aquatic toxicity | Category 3 |

Label elements





Signal word Warning

New Zealand Page 1 / 11

BOSTIK RTV 926 Transparent

Revision date 26-Aug-2024 **Revision Number** 1.01 Supersedes date 04-Aug-2019

Hazard statements

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H361 - Suspected of damaging fertility or the unborn child

H373 - May cause damage to organs through prolonged or repeated exposure

H412 - Harmful to aquatic life with long lasting effects

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wash face, hands and any exposed skin thoroughly after handling

Contaminated work clothing should not be allowed out of the workplace

Do not breathe dust/fume/gas/mist/vapors/spray

Avoid release to the environment

Wear protective gloves

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

Skin

IF ON SKIN: Wash with plenty of water and soap

If skin irritation or rash occurs: Get medical advice/attention Take off contaminated clothing and wash it before reuse

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards which do not result in classification

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. Small amounts of 2-butanone, oxime (CAS 96-29-7) are formed by hydrolysis and released upon curing.

Section 3: Composition/information on ingredients

| CAS No. | Weight-% |
|------------|--------------------------------------|
| 22984-54-9 | 1 - <3 |
| 1760-24-3 | 0.1- <1 |
| 2224-33-1 | 0.1- <1 |
| 556-67-2 | 0.1- <1 |
| | 22984-54-9 1760-24-3 2224-33-1 |

| Non-hazardous ingredients | Proprietary | Balance |
|---------------------------|-------------|---------|

Section 4: First-aid measures

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. If medical advice is needed,

have product container or label at hand.

Inhalation Remove to fresh air. If symptoms persist, call a physician.

Eve contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses

and continue flushing for at least 15 minutes. Consult an ophthalmologist.

Skin contact Wash with soap and water. May cause an allergic skin reaction. In the case of skin

New Zealand Page 2 / 11

BOSTIK RTV 926 Transparent

Revision date 26-Aug-2024 **Revision Number** 1.01 Supersedes date 04-Aug-2019

irritation or allergic reactions see a physician.

Never give anything by mouth to an unconscious person. Rinse mouth thoroughly with Ingestion

water. Drink 1 or 2 glasses of water. Do NOT induce vomiting.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section

Most important symptoms and effects, both acute and delayed

Symptoms None known.

May cause adverse reproductive effects - such as birth defect, miscarriages, or infertility. **Effects of Exposure**

May cause damage to organs through prolonged or repeated exposure.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

Section 5: Fire-fighting measures

Suitable Extinguishing Media

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Full water jet.

Specific hazards arising from the chemical

Specific hazards arising from the

Thermal decomposition can lead to release of irritating gases and vapors.

Special protective actions for fire-fighters

precautions for fire-fighters

chemical

Special protective equipment and Wear self contained breathing apparatus for fire fighting if necessary.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Do not get in eyes, on skin, or on clothing. Use personal protective equipment as

required. Ensure adequate ventilation.

Refer to protective measures listed in Sections 7 and 8. Other information

Use personal protection recommended in Section 8. For emergency responders

Environmental precautions

Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section **Environmental precautions**

12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Do not scatter spilled material with high pressure water streams.

Pick up and transfer to properly labeled containers. Methods for cleaning up

New Zealand Page 3 / 11

BOSTIK RTV 926 Transparent

Revision date 26-Aug-2024 **Revision Number** 1.01 Supersedes date 04-Aug-2019

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact

with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Remove contaminated clothing

and shoes.

General hygiene considerations Take off contaminated clothing and wash it before reuse.

Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a cool, well-ventilated place. Keep away from food, **Storage Conditions**

drink and animal feeding stuffs. Protect from moisture.

Recommended storage

temperature

Keep at temperatures between 50 and 95 °F / 10 and 35 °C.

Strong oxidizing agents. Incompatible materials

Section 8: Exposure controls/personal protection

Control parameters

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon **Exposure Limits**

curing. Small amounts of 2-butanone, oxime (CAS 96-29-7) are formed by hydrolysis and

released upon curing.

| | Chemical name | New Zealand | ACGIH TLV | United Kingdom | Australia |
|---|----------------|-----------------------------|---------------|-----------------------------|-----------------------------|
| ſ | Methyl alcohol | TWA: 200 ppm | TWA: 200 ppm | TWA: 200 ppm | TWA: 200 ppm |
| | 67-56-1 | TWA: 262 mg/m ³ | STEL: 250 ppm | TWA: 266 mg/m ³ | TWA: 262 mg/m ³ |
| | | STEL: 250 ppm | Sk* | STEL: 250 ppm | STEL: 250 ppm |
| | | STEL: 328 mg/m ³ | | STEL: 333 mg/m ³ | STEL: 328 mg/m ³ |
| | | Sk* | | Sk* | _ |

limits

Biological occupational exposure This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Hand protection Wear suitable gloves.

New Zealand Page 4 / 11

BOSTIK RTV 926 TransparentRevision Number 1.01

Revision date 26-Aug-2024

Supersedes date 04-Aug-2019

Skin and body protection Wear suitable protective clothing.

exceeded or irritation is experienced, ventilation and evacuation may be required.

Environmental exposure controls No information available.

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Solid Appearance Paste

Color Clear, colorless
Odor Characteristic.

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

No data available Not applicable Insoluble in water

Melting point / freezing pointNo data availableNone knownInitial boiling point and boilingNo data availableNone known

range

Flash point 96 °C CC (closed cup)
Evaporation rate No data available None known
Flammability No data available None known
Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressureNo data availableNone knownRelative vapor densityNo data availableNone known

Relative density 1.03

Water solubility Insoluble in water

Solubility(ies)No data availableNone knownPartition coefficientNo data availableNone knownAutoignition temperatureNo data availableNone knownDecomposition temperatureNo data availableNone knownKinematic viscosityNo data availableNone known

Kinematic viscosity

No data available

Pynamic viscosity

No data available

Explosive propertiesNo information available. **Oxidizing properties**No information available.

Other information

Softening point
Molecular weight
VOC content
Density
No information available

Particle characteristics

Section 10: Stability and reactivity

Reactivity

Reactivity Product cures with moisture.

Chemical stability

New Zealand Page 5 / 11

BOSTIK RTV 926 Transparent

Revision date 26-Aug-2024 **Revision Number** 1.01 Supersedes date 04-Aug-2019

Stable under normal conditions. Stability

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

Conditions to avoid Protect from moisture. Exposure to air or moisture over prolonged periods. Do not freeze.

Keep away from open flames, hot surfaces and sources of ignition.

Incompatible materials

Incompatible materials Strong oxidizing agents.

Hazardous decomposition products

Hazardous decomposition

products

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

curing. 2-Butanone, oxime.

Section 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract.

Specific test data for the substance or mixture is not available. Causes serious eye Eye contact

irritation. (based on components). May cause redness, itching, and pain.

Skin contact May cause sensitization by skin contact. Specific test data for the substance or mixture is

> not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). May cause irritation. Prolonged contact

may cause redness and irritation.

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms Itching. Rashes. Hives. May cause redness and tearing of the eyes.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) >5000 mg/kg ATEmix (dermal) 66,889.60 mg/kg >20000 ppm ATEmix (inhalation-gas) ATEmix (inhalation-vapor) >20 mg/l ATEmix (inhalation-dust/mist) >5 mg/l

New Zealand Page 6 / 11

BOSTIK RTV 926 Transparent

Revision date 26-Aug-2024 **Revision Number** 1.01 Supersedes date 04-Aug-2019

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---|--|--|---|
| 2-Butanone, | LD50 = 2463 mg/Kg (Rattus) | LD50 >2000 mg/Kg (Rattus) | - |
| O,O',O''-(methylsilylidyne)trioxi me | (OECD 401) | (OECD 402) | |
| N-(3-(trimethoxysilyl)propyl)eth ylenediamine | =2295 mg/kg (Rattus) | >2000 mg/Kg (Rattus) | LC50 4H (Aerosol)1.5 - 2.44 mg/L air |
| Butan-2-one O,O',O"-(vinylsilylidyne)trioxime | LD50 > 2000 mg/kg (Rattus) OECD 425 | LD50 > 2009 mg/kg (Rattus) OECD 402 | - |
| Octamethylcyclotetrasiloxane [D4] | LD50 > 4800 mg/kg (Rattus) OECD 401 | LD50 > 2400 mg/kg (Rattus) OECD 402 | =36 g/m³ (Rattus) 4 h |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)

| Method | Species | Exposure route | Effective dose | Exposure time | Results |
|----------------------|---------|----------------|----------------|---------------|--------------------|
| OECD Test No. 404: | Rabbit | | | | Mild skin irritant |
| Acute Dermal | | | | | |
| Irritation/Corrosion | | | | | |

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Component Information

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)

| Method | Species | Exposure route | Effective dose | Exposure time | Results |
|----------------------|---------|----------------|----------------|---------------|------------|
| OECD Test No. 405: | Rabbit | eye | | | Eye Damage |
| Acute Eye | | | | | |
| Irritation/Corrosion | | | | | |

Respiratory or skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)

| Method | · · · · · · · · · · · · · · · · · · · | Results |
|---|---------------------------------------|----------|
| | | Negative |
| Mutation Test | Than manari cono in via c | l |
| OECD Test No. 476: In Vitro Mammalian Cell | Mammalian cells in vitro | Negative |
| Gene Mutation Tests using the Hprt and xprt | | |
| genes | | |

Carcinogenicity No information available.

Classification based on data available for ingredients. Suspected of damaging fertility or Reproductive toxicity

the unborn child.

N-(3-(trimethoxysilyI)propyI)ethylenediamine (1760-24-3)

| Method | Species | Results |
|---|---------|------------------|
| OECD Test No. 422: Combined Repeated Dose | Rat | NOAEL >500 mg/Kg |
| Toxicity Study with the | Oral | |
| Reproduction/Developmental Toxicity Screening | | |

New Zealand Page 7 / 11

Revision date 26-Aug-2024 Supersedes date 04-Aug-2019

BOSTIK RTV 926 Transparent
Revision Number 1.01

Test

STOT - single exposure Based on available data, the classification criteria are not met.

Narcotic effects No information available.

STOT - repeated exposure May cause damage to organs through prolonged or repeated exposure.

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)

| it to tunnounoxyonyi/propy | ijoti iyionoalamilo (| 1100 2 1 0) | | | |
|----------------------------|-----------------------|-----------------|----------------|---------------|------------------|
| Method | Species | Exposure route | Effective dose | Exposure time | Results |
| OECD Test No. 422: | Rat | Subacute oral | | 28 days | NOAEL >500 mg/kg |
| Combined Repeated Dose | | toxicity gavage | | | |
| Toxicity Study with the | | | | | |
| Reproduction/Developme | | | | | |
| ntal Toxicity Screening | | | | | |
| Test | | | | | |

Aspiration hazard Based on available data, the classification criteria are not met.

Section 12: Ecological information

Ecotoxicity

Ecotoxicity Harmful to aquatic life with long lasting effects.

Aquatic ecotoxicity

| Chemical name | Algae/aquatic plants | Fish | Crustacea |
|---|---|---|---|
| 2-Butanone, O,O',O"-(methylsilylidyne)trioxi me | EC50 (72h) = 94 mg/L (Pseudokirchneriella subcapitata) OECD 201 | EC50 (96h) >120 mg/L (Oncorhynchus mykiss)Freshwater static (OECD guideline 203) | EC50 (48h) > 120 mg/L (Daphnia magna) OECD 202 |
| N-(3-(trimethoxysilyl)propyl)eth ylenediamine | - | LC50 (96H) =597 mg/L (Danio rerio)Semi-static | EC50 (48h) =81mg/L Daphnia magna Static |
| Butan-2-one O,O',O"-(vinylsilylidyne)trioxime | EC50 (72h) = 16 mg/L (Pseudokirchneriella subcapitata) OECD 201 | LC50 (96h)> 120 mg/L (Oncorhynchus mykiss) OECD 203 | EC50 (48h) > 120 mg/L (Daphnia magna) OECD 202 |
| Octamethylcyclotetrasiloxane [D4] | - | LC50: >1000mg/L (96h, Lepomis macrochirus) LC50: >500mg/L (96h, Brachydanio rerio) | EC50: =25.2mg/L (24h, Daphnia magna) |

Terrestrial ecotoxicity There is no data for this product.

Persistence and degradability No information available.

Bioaccumulative potential Bioaccumulation

Component Information

| Chemical name | Partition coefficient |
|--|-----------------------|
| 2-Butanone, O,O',O"-(methylsilylidyne)trioxime | 1.69 |
| N-(3-(trimethoxysilyl)propyl)ethylenediamine | -0.3 |
| Butan-2-one O,O',O"-(vinylsilylidyne)trioxime | 1.69 |
| Octamethylcyclotetrasiloxane [D4] | 6.49 |

New Zealand Page 8 / 11

BOSTIK RTV 926 Transparent

Revision date 26-Aug-2024 **Revision Number** 1.01 Supersedes date 04-Aug-2019

Mobility in soil **Mobility**

No information available.

Other adverse effects No information available.

Disposal methods

Waste from residues/unused products

Dispose of product in packaging in a way that is consistent with the EPA Consolidation 30 April 2021 of the Hazardous Substances (Disposal) Notice 2017 and the Act. Treat the substance using a method that changes the characteristics or composition of the substance so that the substance is no longer a hazardous substance; or export the substance from New Zealand as waste. Substances which are hazardous to human health or corrosive to metals – may be discharged into the environment if a tolerable exposure limit has been set for the substance (or a component of that substance); and the discharge does not, after reasonable mixing, result in the concentration of the substance in an environmental medium exceeding the tolerable exposure limit. If there is no tolerable exposure limit for the substance, then it may only be discharged into the environment if the substance is very rapidly converted to substances that are not hazardous substances. Environmentally hazardous substances - if the substance, or if it contains a component that is hazardous to the aquatic environment or bioaccumulative and not rapidly degradable, then any component that is bioaccumulative and not rapidly degradable must be removed. The product may only be discharged into the environment if an environmental exposure limit has been set for the substance (or a component of the substance); and the discharge does not, after reasonable mixing, result in the concentration of the substance in an environmental medium exceeding the environmental exposure limit. Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

Contaminated packaging

Handle contaminated packages in the same way as the product itself.

Section 14: Transport information

IATA Not regulated Not regulated IMDG

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available

ADR Not regulated

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

code or group standard

EPA New Zealand HSNO approval HSR002670 - Surface Coatings and Colourants (Subsidiary Hazard)

There are no applicable tolerable exposure limits or environmental exposure limits **National regulations**

according to the EPA Controls for Hazardous Substances

Certified handlers, tracking and controlled substance license requirements

Certified handlers are required for some substances. This includes substances requiring a controlled substance license, and most explosives, vertebrates toxic agents, and certain fumigants. Acutely toxic substances which are a Category 1 or 2, such as pesticides also require Certified handlers. Please check the Health and Safety at Work Act 2015 for further information

New Zealand Page 9 / 11

BOSTIK RTV 926 Transparent

Revision date 26-Aug-2024 **Revision Number** 1.01 Supersedes date 04-Aug-2019

> Tracking is required for some highly hazardous substances. These substances need to be under the control of an appropriately trained person or appropriately secured. Please check the Health and Safety at Work Act 2015 for further information

Controlled substance licenses are required to possess certain explosives, vertebrate toxic agents and fumigants. See Part 7 of the Health and Safety at Work Regulation 2017

for more information

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Europe

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorization:

This product contains one or more candidate substance(s) of very high concern (Regulation (EC) No. 1907/2006 (REACH), Article 59) >=0.1%

| Chemical name | SVHC candidates |
|-----------------------------------|-----------------|
| Octamethylcyclotetrasiloxane [D4] | X |
| 556-67-2 | |

Section 16: Other information

Prepared By Product Safety & Regulatory Affairs

Revision date 26-Aug-2024

Revision Note

***Indicates updated data since last publication.

Key or legend to abbreviations and acronyms used in the safety data sheet

SVHC: Substances of Very High Concern for Authorization: PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT: Specific Target Organ Toxicity ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration

LD50: 50% Lethal Dose

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA (time-weighted average) STEL (Short Term Exposure Limit) **TWA** STEL

Ceiling Maximum limit value Sk* Skin designation Hazard Designation Sensitizers

С Carcinogen

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

Environmental Protection Agency

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

New Zealand Page 10 / 11

BOSTIK RTV 926 Transparent Revision Number 1.01

Revision date 26-Aug-2024 Supersedes date 04-Aug-2019

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

New Zealand Page 11 / 11