

1. Identification of the Substance/Preparation and the Company/Undertaking

1.1. Product identifier

Substance or preparation trade name: Tungsten Zirconated

Unique reference numbers(s): VTWEZW1724 - 2.4MM 3/175

VTWEZW1732 - 3.2MM 3/175

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Electrodes for Tungsten inert gas welding (TIG)

1.3. Details of the supplier of the safety data sheet

Euromarc 203 Glover Road Hawera New Zealand 0800 278 600

1.4. Emergency telephone number

NZ Poison Centre: 0800 POISON (0800 764 766)

2: Hazards identification

2.1. Classification of the substance or mixture

No Significant Hazard

2.2. Label elements

Signal words:

Precautionary statements:

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance

Date Revised: June, 2023 Issue:4 Page 1



3. Composition/information on ingredients

3.1. Hazardous ingredients

Conc. CAS EINECS Symbols/Risk phrases

Tungsten 88-100% % 7440-33-7 231-143-9

Zirconium Oxide 0-4% 1314-23-4 215-227-2

4: First aid measures

4.1. Description of first aid measures

Skin contact: None

Eye contact: Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist. Contact lenses should be removed. Wash with water.

Ingestion: Rinse mouth and drink plenty of water .

Inhalation: Move the exposed person to fresh air. Seek medical attention if there are any adverse symptoms.

4.2 Most important symptoms and effects, both acute and delayed

Eye contact: There may be irritation and redness.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Date Revised: June, 2023 Issue:4 Page 2



5: Fire-fighting measures

5.1. Extinguishing media

Water, A,B,C and Class D dry powder

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion produces Tungsten Trioxide WO₃ (CAS1314-35-8).

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes $\frac{1}{2} \int_{-\infty}^{\infty} \frac{1}{2} \left(\frac{1}{2} \int_{-\infty}^{\infty} \frac{1}{$

6. Accidental release measures

Personal precautions Ensure adequate ventilation of the working area..

Environmental precautions Do not allow product to enter drains. Prevent further spillage if

safe.

Clean up methods Absorb with inert, absorbent material. Sweep up. Transfer to

suitable, labelled containers for disposal. Clean spillage area

thoroughly with plenty of soapy water.

7. Handling and storage

Handling Avoid contact with eyes and skin. Ensure adequate ventilation of the working area.

Adopt best Manual Handling considerations when handling, carrying and dispensing.

Storage No special requirements

8. Exposure Controls

8.1 Exposure limits

Tungsten 7440-33-7 TWA 5 mg/m3 ST 10 mg/m3

Zirconium Oxide 1E mg/M3

Date Revised : June, 2023 Issue:4 Page 3



8.2 Controls

Engineering measures Ensure adequate ventilation of the working area.

Hand protection Gloves or hand protection cream

Eye protection safety spectacles

Protective equipment Wear protective clothing.

Reparatory protection Particulate filtering mask (FFP3 type) recommended where

dust or aerosols are produced.









9. Physical and chemical properties

Appearance: Physical form: Solid.

Appearance: Metallic grey rods.

Odour: None.

Important relevant safety parameters:

Value Unit Test method (67/548/EEC) Mel

Flame point Non Flammable

Relative density (20°C) 18.62 g/cm3 DIN 51 757

Solubility (20°C) insoluble pH value (20°C), 5% N/A
Melting point 3680 °C
Boiling point 5828 °C
Freezing Point N/A

10. Stability and reactivity

Stability Stable under normal conditions.

Conditions to avoid Oxidation in presence of Oxygen at increase temperature (600 °C plus)

Materials to avoid Peroxides. Strong acids.

11. Toxicological information

No Acute oral, dermal or respiratory toxicity

Tungsten LD₅₀ oral Rat >2000 mg/KG

LD₅₀ dermal Rat >2000 mg/KG

LD₅₀ respiratory Rat >5.4mg/l 4Hr exposure

Zirconium Oxide LD50 oral Rat >5000 mg/KG

Date Revised: June, 2023 Issue:4 Page 4



12. Ecological information

Non hazardous in water

13 Disposal Considerations

General information Dispose of in compliance with all local and

national regulations.

Disposal methods Contact a licensed waste disposal company. For disposal

within the EC, the appropriate code according to the European

Waste Catalogue (EWC) should be used.

Disposal of packaging Empty containers can be sent for disposal or recycling.

14. Transport information

Not classified

Further information The product is not classified as dangerous for carriage.

15. Regulatory information

16. Other Information

Regulation (EC) No 1907/2006 of the European Parliament and of the Council, (REACH)

Date Revised : June, 2023 Issue:4 Page 5