PURITY TM/MC FG PAG GEAR OIL 150




		TM
00003009244		
/ersion 2.2	Revision Date 2022/08/16	Print Date 2022/08/1
ECTION 1. IDENTIFICATION		
Product name	: PURITY TMMC FG PAG GEAR OIL	150
Product code	: PFPG150P20, PFPG150DRX, PFI	PG150
Manufacturer or supplier's	details	
Tolophor	Euromarc 203 Glover Road Hawera, 4610 New Zealand e : 0800 278 600	
Telephor	e . 0800 278 000	
Emergency telephone nur	nber	
Emergency telephone num- ber	: CHEMTREC: 1-800-424-9300; Poison Control Centre: Consult loca emergency number(s).	al telephone directory for
Recommended use of the	chemical and restrictions on use	
Recommended use	: PURITY FG PAG Gear Oils are us industrial gear applications for both industrial applications.	
Prepared by	: Product Safety: +1 905-491-0565	
ECTION 2. HAZARDS IDENTI	FICATION	
GHS classification in acco	rdance with the Hazardous Products F	Regulations
Not a hazardous substance	or mixture.	
GHS label elements		
Not a hazardous substance	or mixture.	
Other hazards		
None known.		
IARC	No component of this product press or equal to 0.1% is identified as pro firmed human carcinogen by IARC.	bable, possible or con-
ECTION 3. COMPOSITION/IN	ORMATION ON INGREDIENTS	
Substance / Mixture	: Mixture	
Components		
No hazardous ingredients		

SECTION 4. FIRST AID MEASURES

If inhaled

: Move to fresh air. Artificial respiration and/or oxygen may be necessary.

PURITY TM/MC FG PAG GEAR OIL 150





Version 2.2		Revision Date 2022/08/16	Print Date 2022/08/16
		Seek medical advice.	
In case of skin contact	:	In case of contact, immediately flush for at least 15 minutes while removing and shoes. Wash skin thoroughly with soap and skin cleanser. Wash clothing before reuse. Seek medical advice.	g contaminated clothing
In case of eye contact	:	Remove contact lenses. Rinse immediately with plenty of wate for at least 15 minutes. Obtain medical attention.	er, also under the eyelids,
If swallowed	:	Rinse mouth with water. DO NOT induce vomiting unless direct cian or poison control center. Never give anything by mouth to an u Seek medical advice.	
Most important symptoms and effects, both acute and delayed	:	First aider needs to protect himself.	

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Unsuitable extinguishing media	:	No information available.
Specific hazards during fire- fighting	:	Cool closed containers exposed to fire with water spray.
Hazardous combustion prod- ucts	:	Carbon oxides (CO, CO2), smoke and irritating vapours as products of incomplete combustion.
Further information	:	Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions. Mark the contaminated area with signs and prevent access to unauthorized personnel. Only qualified personnel equipped with suitable protective equipment may intervene.
Environmental precautions	:	Do not allow uncontrolled discharge of product into the envi- ronment.

PURITY TM/MC FG PAG GEAR OIL 150

000003009244

Version 2.2	Revision Date 2022/08/16	Print Date 2022/08/16
Methods and materials for containment and cleaning up	 Prevent further leakage or spillage Remove all sources of ignition. Soak up with inert absorbent mate Non-sparking tools should be used Ensure adequate ventilation. Contact the proper local authoritie 	erial. d.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	None known.
Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Use only with adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Keep away from heat and sources of ignition. Keep container closed when not in use.
Conditions for safe storage	:	Store in original container. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in a dry, cool and well-ventilated place. Keep in properly labelled containers. To maintain product quality, do not store in heat or direct sun- light.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures	5	No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Personal protective equipme	ent	
Respiratory protection	t F	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Filter type	: 0	organic vapour filter
Hand protection Material	: r	neoprene, nitrile, polyvinyl alcohol (PVA), Viton [®] .



PURITY TM/MC FG PAG GEAR OIL 150



000003009244

Version 2.2		Revision Date 2022/08/16	Print Date 2022/08/16
Remarks	:	Chemical-resistant, impervious gloves approved standard should be worn at a chemical products if a risk assessment essary.	all times when handling
Eye protection	:	Wear face-shield and protective suit fo problems.	r abnormal processing
Skin and body protection	:	Choose body protection in relation to it tration and amount of dangerous subst	
Protective measures	:	Wash contaminated clothing before re-	-use.
Hygiene measures	:	Remove and wash contaminated cloth ing the inside, before re-use. Wash face, hands and any exposed sh handling.	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	clear
Odour	:	mild
Odour Threshold	:	No data available
рН	:	No data available
Pour point Boiling point/boiling range	:	-40 °C (-40 °F) No data available
Flash point	:	268 °C (514 °F) Method: Cleveland open cup
Fire Point	:	No data available
Evaporation rate	:	No data available
Flammability	:	Low fire hazard. This material must be heated before ignition will occur.
Auto-Ignition Temperature	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available

Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license.

PURITY TM/MC FG PAG GEAR OIL 150



000003009244

Version 2.2	Revision Date 2022/08/16	Print Date 2022/08/16
Relative density	: No data available	
Density	: 1.0586 kg/l (15 °C / 59 °F)	
Solubility(ies)		
Water solubility	: insoluble	
Partition coefficient: n- octanol/water	: No data available	
Viscosity Viscosity, kinematic	: 150 cSt (40 °C / 104 °F)	
	28.3 cSt (100 °C / 212 °F)	
Explosive properties	: Do not pressurize, cut, weld, braz pose containers to heat or source	

SECTION 10. STABILITY AND REACTIVITY

Possibility of hazardous reac- tions	:	Hazardous polymerisation does not occur. Stable under normal conditions.
Conditions to avoid	:	No data available
Incompatible materials	:	Reactive with oxidising agents.
Hazardous decomposition products	:	May release COx, smoke and irritating vapours when heated to decomposition.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes Eye contact Ingestion Inhalation Skin contact	s of	exposure
Acute toxicity		
Product: Acute oral toxicity Acute inhalation toxicity Acute dermal toxicity	:	Remarks: No data available Remarks: No data available Remarks: No data available
Skin corrosion/irritation <u>Product:</u> Remarks	:	No data available

PURITY TM/MC FG PAG GEAR OIL 150

000003009244

Version 2.2

Revision Date 2022/08/16



Print Date 2022/08/16

Serious eye damage/eye irritation Product: Remarks : No data available Respiratory or skin sensitisation No data available Germ cell mutagenicity No data available Carcinogenicity No data available **Reproductive toxicity** No data available STOT - single exposure No data available **STOT - repeated exposure** No data available **SECTION 12. ECOLOGICAL INFORMATION**

Ecotoxicity

Product:

Toxicity to fish	:	Remarks: No data available				
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available				
Toxicity to algae/aquatic plants	:	Remarks: No data available				
Toxicity to microorganisms	:	Remarks: No data available				
Persistence and degradability						
Product:						
Biodegradability	:	Remarks: No data available				
Bioaccumulative potential						
No data available						
Mobility in soil						
No data available						
Other adverse effects						
Nie slete eusliekie						

No data available

PURITY TM/MC FG PAG GEAR OIL 150

000003009244

Version 2.2



Print Date 2022/08/16

SECTION 13. DISPOSAL CONSIDERATIONS

Waste from residues	 The product should not be allowed to enter drains, water courses or the soil. Offer surplus and non-recyclable solutions to a licensed disposal company. Waste must be classified and labelled prior to recycling or disposal. Send to a licensed waste management company. Dispose of product residue in accordance with the instructions of the person responsible for waste disposal.
	of the person responsible for waste disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

National Regulations

TDG

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

The components of this pro	duo :	ct are reported in the following inventories: On the inventory, or in compliance with the inventory
TSCA	:	All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.
IECSC	:	On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized Sys-

PURITY TM/MC FG PAG GEAR OIL 150

000003009244

Version 2.2

Revision Date 2022/08/16

tem; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods: TECI - Thailand Existing Chemicals Inventory: TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

For Copy of SDS	:	Internet: lubricants.petro-canada.com/sds Western Canada, telephone: 1-800-661-1199; fax: 1-800-378- 4518 Ontario & Central Canada, telephone: 1-800-268-5850; fax: 1- 800-201-6285 Quebec & Eastern Canada, telephone: 1-800-576-1686; fax: 1-800-201-6285 For Product Safety Information: 1 905-491-0565
Prepared by	:	Product Safety: +1 905-491-0565
Revision Date Date format	:	2022/08/16 yyyy/mm/dd

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN



Print Date 2022/08/16