ACCUFLO	тм/мс	ТΚ	68
---------	-------	----	----

000003001164

Version 3.0

Revision Date 2023/06/02



Print Date 2023/06/02

SECTION 1. IDENTIFICATION

Product name	:	ACCUFLO TM/MC TK 68
Product code	:	ACFLK68DRR, ACFLK68IBC, ACFLK68P20, ACFLK68DRM, ACFLK68DCT, ACFLK68, ACFLK68BLK
Manufacturer or supplier's	deta	ails
		Euromarc 203 Glover Road
		Hawera, 4610
		New Zealand
Telephone) :	0800 278 600
Emergency telephone num	ber	
Emergency telephone num- ber	:	CHEMTREC: 1-800-424-9300; Poison Control Centre: Consult local telephone directory for emergency number(s).
Recommended use of the c	hen	nical and restrictions on use
Recommended use	:	These products are premium quality slideway lubricants typi- cally used on all types of machine tools and are designed to provide maximum accuracy in table movements.
Prepared by	:	Product Safety: +1 905-491-0565
SECTION 2. HAZARDS IDENTIFI		ΓΙΟΝ

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil — unspeci- fied	64742-54-7	70 - 90
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based; Baseoil — unspecified	72623-87-1	70 - 90

ACCUFLO TM/MC TK 68

000003001164

phosphates

Version 3.0	Revision Date 2023/06/02	Print Date 2023/06/
Paraffin oils (petroleum), cata dewaxed heavy; Baseoil — u fied		10 - 20
Residual oils (petroleum), sol dewaxed; Baseoil — unspecit		10 - 29
Amines, C12-14-alkyl, C6-10-	alkyl 68603-55-4	0.1 - 1

Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

If inhaled	:	Move to fresh air. Artificial respiration and/or oxygen may be necessary. Seek medical advice.
In case of skin contact	:	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Wash clothing before reuse. Seek medical advice.
In case of eye contact	:	Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.
If swallowed	:	Rinse mouth with water. DO NOT induce vomiting unless directed to do so by a physi- cian or poison control center. Never give anything by mouth to an unconscious person. Seek medical advice.
Most important symptoms and effects, both acute and delayed	:	First aider needs to protect himself.
Notes to physician	:	Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Unsuitable extinguishing media	:	No information available.
Specific hazards during fire- fighting	:	Cool closed containers exposed to fire with water spray.
Hazardous combustion prod- ucts	:	Carbon oxides (CO, CO2), sulphur oxides (SOx), phosphorus oxides (POx), sulphur compounds (H2S), aldehydes, smoke

Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license.



6/02

ACCUFLO TM/MC TK 68

000003001164



Version 3.0		Revision Date 2023/06/02	Print Date 2023/06/02
		and irritating vapours as products of inc	complete combustion.
Further information	:	Prevent fire extinguishing water from co water or the ground water system.	ontaminating surface

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer- gency procedures	Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions. Mark the contaminated area with signs and prevent access to unauthorized personnel. Only qualified personnel equipped with suitable protective equipment may intervene.
Environmental precautions :	Do not allow uncontrolled discharge of product into the envi- ronment. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for : containment and cleaning up	Prevent further leakage or spillage if safe to do so. Remove all sources of ignition. Soak up with inert absorbent material. Non-sparking tools should be used. Ensure adequate ventilation. Contact the proper local authorities.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	None known.
Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Keep away from heat and sources of ignition. Keep container closed when not in use.
Conditions for safe storage	:	Store in original container. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in a dry, cool and well-ventilated place. Keep in properly labelled containers. To maintain product quality, do not store in heat or direct sun- light.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

ACCUFLO TM/MC TK 68

000003001164

Version 3.0

Revision Date 2023/06/02

Print Date 2023/06/02

			Γ	T
Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	
		exposure)	concentration	
Distillates (petroleum), hy-	64742-54-7	TWA (Mist)	5 mg/m3	CA AB OEL
drotreated heavy paraffinic;				
Baseoil — unspecified				
		STEL (Mist)	10 mg/m3	CA AB OEL
		TWAEV	5 mg/m3	CA QC OEL
		(Mist)		
		STEV (Mist)	10 mg/m3	CA QC OEL
		TWA (Mist)	1 mg/m3	CA BC OEL
		TWA (Inhal-	5 mg/m3	ACGIH
		able particu-		
		late matter)		
Lubricating oils (petroleum),	72623-87-1	TWA (Mist)	5 mg/m3	CA AB OEL
C20-50, hydrotreated neutral				
oil-based; Baseoil — unspeci-				
fied				
		STEL (Mist)	10 mg/m3	CA AB OEL
		TWAEV	5 mg/m3	CA QC OEL
		(Mist)		
		STEV (Mist)	10 mg/m3	CA QC OEL
		TWA (Mist)	1 mg/m3	CA BC OEL
		TWA (Inhal-	5 mg/m3	ACGIH
		able particu-		
		late matter)		
Paraffin oils (petroleum), cata-	64742-70-7	TWA (Mist)	5 mg/m3	CA AB OEL
lytic dewaxed heavy; Baseoil				
— unspecified				
		STEL (Mist)	10 mg/m3	CA AB OEL
		TWAEV	5 mg/m3	CA QC OEL
		(Mist)		
		STEV (Mist)	10 mg/m3	CA QC OEL
Residual oils (petroleum), sol-	64742-62-7	TWA (Mist)	5 mg/m3	CA AB OEL
vent-dewaxed; Baseoil — un-				
specified				
		STEL (Mist)	10 mg/m3	CA AB OEL
		TWAEV	5 mg/m3	CA QC OEL
		(Mist)		
		STEV (Mist)	10 mg/m3	CA QC OEL
		TWA (Mist)	1 mg/m3	CA BC OEL
		TWA (Inhal-	5 mg/m3	ACGIH
		able particu-		
		late matter)		

Engineering measures

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protective equipment

:

Respiratory protection: Use respiratory protection unless adequate local exhaust
ventilation is provided or exposure assessment demonstrates
that exposures are within recommended exposure guidelines.
Respirator selection must be based on known or anticipated
exposure levels, the hazards of the product and the safe



ACCUFLO TM/MC TK 68

000003001164



Version 3.0		Revision Date 2023/06/02	Print Date 2023/06/02
		working limits of the selected respirate	or.
Filter type	:	organic vapour filter	
Hand protection Material	:	neoprene, nitrile, polyvinyl alcohol (P\	/A), Viton [®] .
Remarks	:	Chemical-resistant, impervious gloves approved standard should be worn at chemical products if a risk assessmer essary.	all times when handling
Eye protection	:	Wear face-shield and protective suit for problems.	or abnormal processing
Skin and body protection	:	Choose body protection in relation to tration and amount of dangerous subs cific work-place.	
Protective measures	:	Wash contaminated clothing before re	e-use.
Hygiene measures	:	Remove and wash contaminated cloth ing the inside, before re-use. Wash face, hands and any exposed s handling.	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

	Appearance	:	liquid
	Colour	:	light brown
	Odour	:	Mild petroleum oil like.
	Odour Threshold	:	No data available
	рН	:	No data available
	Pour point	:	-33 °C (-27 °F)
	Boiling point/boiling range	:	No data available
	Flash point	:	225 °C (437 °F) Method: Cleveland open cup
	Fire Point	:	No data available
	Evaporation rate	:	No data available
	Flammability	:	Remarks: Low fire hazard. This material must be heated be- fore ignition will occur.
	Auto-Ignition Temperature	:	No data available
Inte	Upper explosion limit / Upper rnet: lubricants.petro-canada.com/s	: ds	No data available Page: 5 /
Trad	emarks are owned or used under license.		Petro-Canada Lubricants is a HF Sinclair b

ACCUFLO TM/MC TK 68

000003001164

Version 3.0		Revision Date 2023/06/02	Print Date 2023/06/02
flammability limit			
Lower explosion limit / Lower flammability limit	:	No data available	
Vapour pressure	:	No data available	
Relative vapour density	:	No data available	
Relative density	:	No data available	
Density	:	0.8739 kg/l (15 °C)	
Solubility(ies) Water solubility	:	insoluble	
Partition coefficient: n- octanol/water	:	No data available	
Viscosity Viscosity, kinematic	:	71.2 cSt (40 °C)	
		9.9 cSt (100 °C)	
Explosive properties	:	Do not pressurize, cut, weld, braze, so pose containers to heat or sources of	-

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac- tions	:	Hazardous polymerisation does not occur. Stable under normal conditions.
Conditions to avoid	:	No data available
Incompatible materials	:	Reactive with oxidising agents, acids, alkalis and reducing agents.
Hazardous decomposition products	:	May release COx, SOx, POx, H2S, hydrocarbons, methacry- late monomers, asphyxiants, smoke and irritating vapours when heated to decomposition.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Eye contact Ingestion Inhalation Skin contact



ACCUFLO TM/MC TK 68

000003001164

sion 3.0		Revision Date 2023/06/02	Print Date 2023/06/0
Acute toxicity			
Product:			
Acute oral toxicity	:	Remarks: No data available	
Acute inhalation toxicity	:	Assessment: The substance or m tion toxicity Remarks: No data available	ixture has no acute inhala-
Acute dermal toxicity	:	Remarks: No data available	
Components:			
	drotr	eated heavy paraffinic; Baseoil –	- unspecified:
Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg,	
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg,	
Lubricating oils (petroleun fied:	n), C	20-50, hydrotreated neutral oil-ba	ased; Baseoil — unspeci-
Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg,	
Acute inhalation toxicity	:	LC50 (Rat): > 5.2 mg/l Exposure time: 4 h Test atmosphere: dust/mist	
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg,	
Residual oils (petroleum) , Acute oral toxicity	solv :	ent-dewaxed; Baseoil — unspeci LD50 (Rat): > 5,000 mg/kg,	fied:
Acute inhalation toxicity	:	LC50 (Rat): > 5.53 mg/l Exposure time: 4 h Test atmosphere: dust/mist	
Acute dermal toxicity	:	LD50 (Rabbit): > 3,000 mg/kg,	
Amines, C12-14-alkyl, C6-1	0-al	kvl phosphates:	
Acute oral toxicity		LD50 (Rat): > 5,000 mg/kg,	
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg,	
Skin corrosion/irritation			
Product:			
Remarks	:	No data available	
Serious eye damage/eye ir	ritat	ion	
Product:			
Remarks	:	No data available	
Respiratory or skin sensiti	satio	on	
No data available			



ACCUFLO TM/MC TK 68

000003001164

Version 3.0

PETRO CANADA

Print Date 2023/06/02

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:	

Product:		
Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available
Components:		
	olve	ent-dewaxed; Baseoil — unspecified :
Toxicity to fish	:	LC50 (Fish): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia (water flea)): > 100 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (algae): > 100 mg/l Exposure time: 72 h
Persistence and degradabili	ty	
Broduct:		
Product:		Demorties Ne dete eveileble
Biodegradability		Remarks: No data available
Bioaccumulative potential		
No data available		
Mobility in soil		

No data available

ACCUFLO ^{™/MC} TK 68

000003001164

Version 3.0

Revision Date 2023/06/02



Print Date 2023/06/02

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	:	The product should not be allowed to enter drains, water courses or the soil. Offer surplus and non-recyclable solutions to a licensed dis- posal company. Waste must be classified and labelled prior to recycling or disposal. Send to a licensed waste management company. Dispose of product residue in accordance with the instructions of the person responsible for waste disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

National Regulations

TDG Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

The components of this product are reported in the following inventories:		
DSL	:	On the inventory, or in compliance with the inventory
TSCA	:	All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.
IECSC	:	On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

Full text of other abbreviations				
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)		
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)		
CA BC OEL	:	Canada. British Columbia OEL		

Internet: lubricants.petro-canada.com/sds Trademarks are owned or used under license.

ACCUFLO ^{™/MC} TK 68

000003001164



Version 3.0		Revision Date 2023/06/02	Print Date 2023/06/02
CA QC OEL	:	Québec. Regulation respecting occupa ty, Schedule 1, Part 1: Permissible exp borne contaminants	
ACGIH / TWA	:	8-hour, time-weighted average	
CA AB OEL / TWA	:	8-hour Occupational exposure limit	
CA AB OEL / STEL	:	15-minute occupational exposure limit	
CA BC OEL / TWA	:	8-hour time weighted average	
CA QC OEL / TWAEV CA QC OEL / STEV	:	Time-weighted average exposure value	le

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative: WHMIS - Workplace Hazardous Materials Information System

For Copy of SDS	:	Internet: lubricants.petro-canada.com/sds Western Canada, telephone: 1-800-661-1199; fax: 1-800-378- 4518 Ontario & Central Canada, telephone: 1-800-268-5850; fax: 1- 800-201-6285 Quebec & Eastern Canada, telephone: 1-800-576-1686; fax: 1-800-201-6285 For Product Safety Information: 1 905-491-0565
Prepared by	:	Product Safety: +1 905-491-0565
Revision Date Date format	:	2023/06/02 yyyy/mm/dd

ACCUFLO ^{™/MC} TK 68

000003001164

Version 3.0



Revision Date 2023/06/02

Print Date 2023/06/02

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / EN