Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 10/13/2020 Revision date: 6/10/2021 Supersedes: 2/24/2021 Version: 3.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form Trade name : Mixture

: Paintstik ® Original B Jumbo White, Hex White, Fine White, Hex Yellow, 16 Black, 16 Blue, 16 Orange, 16 White, 16 Yellow, Fine Yellow, Aluminum, Black, Blue, Green, Gray, Orange, Pink, Purple, Red, Silver, White, Yellow, Fluorescent Yellow, Fluorescent Red, Fluorescent Green, Fluorescent Blue, Fluorescent Orange, Fluorescent Pink

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses		
Main use category		
Use of the substance/mixture		
1.2.2. Uses advised against		
Restrictions on use		
1.3. Details of the supplier of the safet		

: Any use not specified

: Professional use : Marking.

1.3. Details of the supplier of the safety data sheet

LA-CO Industries Europe Parc Industriel de la Plaine de l'Ain - Allée des Combes 01150 Blyes France T +33 474462323 - F +33 (0)4 74 46 23 29 info-europe@laco.com - www.markal-city.com

Weldclass Welding Product: 6 East West Place Tamworth NSW 2340 Phone: 02 6764 9590 E-mail: sales@weldclass.co

1.4. Emergency telephone number

Emergency number

: 24-hour emergency: CHEMTREC- U.S.: 1-800-424-9300 International: +1-703-527-3887; 全国过急中心 0532 8388 9090

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	
United Kingdom	National Poisons Information Service (Cardiff Centre) Gwenwyn Ward, Llandough Hospital	Penarth CF64 2XX Cardiff	0344 892 0111	
United Kingdom	National Poisons Information Service Edinburgh Royal Infirmary of Edinburgh	Little France Crescent EH16 4SA Edinburgh	0344 892 0111	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	
United Kingdom	National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre, Wolfson Unit	Claremont Place Newcastle-upon-Tyne NE1 4LP Newcastle	0344 892 0111	
United Kingdom	National Poisons Information Service (Belfast Centre)	Grosvenor Road BT12 6BA Belfast	0344 892 0111	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Country	Organisation/Company		Address	Emergency number	Comment	
	Royal Victoria Hospital					
SECTION 2: Hazards identification						
2.1. Classifi	cation of the substance or mixt	ure				
Classification	according to Regulation (EC) No. 1	272/2008	[CLP]			
Skin sensitisat	ion, Category 1		H317			
Full text of H-	and EUH-statements: see section 16					
Adverse phys	icochemical, human health and env	vironmenta	al effects			
No data availa	ble					
2.2. Label e	ements					
Labelling acc	ording to Regulation (EC) No. 1272/	2008 [CLP]			
Hazard pictogi	ams (CLP: Classification, Labelling,	:	\checkmark			
Packaging.)	-					
		GH	IS07			
Signal word (C	LP)	: Warnin	g			
Contains		: rosin				
Hazard statements (CLP)			May cause an allergic skin rea			
Precautionary	statements (CLP)	: P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P272 - Contaminated work clothing should not be allowed out of the workplace.				
		P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing				
		protect		0 7 1		
			P352 - IF ON SKIN: Wash with			
			Specific treatment (see supple		,	
			P313 - If skin irritation or rash o P364 - Take off contaminated o			
			Dispose of contents/container	0		
			ance with local, regional, nation	•	• •	
EUH-statemer	its		White, Hex White, Hex Yellow	-		
			Blue, Green, Gray, Orange, P			
			2 - Warning! Hazardous respir	able dust may be formed w	hen used. Do not breath	
l Inknown acut	e toxicity (CLP: Classification	dust.	of the mixture consists of ingre	dient(s) of unknown acute	toxicity (Oral)	
Unknown acute toxicity (CLP: Classification, Labelling, Packaging.) - SDS			of the mixture consists of ingre	()	,	
			of the mixture consists of ingre		, , ,	
		(Dust/N	/list))			
Unknown haza	ards to the aquatic environment (CLP)	: Contai	ns 1.82 % of components with	unknown hazards to the aq	uatic environment	
2.3. Other h	azards					
PBT: not yet a	ssessed					

vPvB: not yet assessed

Component		
Cobalt Hydroxide (21041-93-0)	PBT: not relevant – no registration required vPvB: not relevant – no registration required	
Toluene (108-88-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Limestone	CAS-No.: 1317-65-3 EC-No.: 215-279-6	0 - 60	Not classified
Calcium carbonate	CAS-No.: 471-34-1 EC-No.: 207-439-9	30 - 60	Not classified
aluminium powder (pyrophoric) (Note T)	CAS-No.: 7429-90-5 EC-No.: 231-072-3 EC Index-No.: 013-001-00-6	0 - 30	Pyr. Sol. 1, H250 Water-react. 2, H261
Paraffin waxes	CAS-No.: 8002-74-2 EC-No.: 232-315-6	0 - 20	Not classified
Titanium dioxide	CAS-No.: 13463-67-7 EC-No.: 236-675-5	0 - 15	Carc. 2, H351
rosin	CAS-No.: 8050-09-7 EC-No.: 232-475-7 EC Index-No.: 650-015-00-7	1 - 10	Skin Sens. 1, H317
Carbon black	CAS-No.: 1333-86-4 EC-No.: 215-609-9	0 - 5	Not classified
zinc sulphide	CAS-No.: 1314-98-3 EC-No.: 215-251-3	0 - 2	Not classified
Silicon dioxide (amorphous)	CAS-No.: 112926-00-8 EC-No.: 231-545-4	0 - 2	Not classified
Silicon dioxide (cristobalite)	CAS-No.: 14808-60-7 EC-No.: 238-878-4	0 - 2	Not classified
Aluminum hydroxide	CAS-No.: 21645-51-2 EC-No.: 244-492-7	0 - 2	Not classified
Stoddard solvent (benzene < 0.1%) (Note P)	CAS-No.: 8052-41-3 EC-No.: 232-489-3 EC Index-No.: 649-345-00-4	0.1 - 1	Flam. Liq. 3, H226 STOT RE 1, H372 Asp. Tox. 1, H304
4-[[4-(aminocarbonyl)phenyl]azo]-N-(2-ethoxyphenyl)- 3-hydroxynaphthalene-2-carboxamide, C.I. Pigment Red 170 (naphthol <1%)	CAS-No.: 2786-76-7 EC-No.: 220-509-3	0 - <1	Skin Sens. 1, H317
Aluminum oxide	CAS-No.: 1344-28-1 EC-No.: 215-691-6	0 - 1	Not classified
Distillates (petroleum), hydrotreated light	CAS-No.: 64742-47-8	<0.1	Asp. Tox. 1, H304

Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
	EC-No.: 265-149-8 EC Index-No.: 649-422-00-2		
Cobalt Hydroxide	CAS-No.: 21041-93-0 EC-No.: 244-166-4	<0.1	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2, H319 Resp. Sens. 1, H334 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Iron oxide red	CAS-No.: 1309-37-1 EC-No.: 215-168-2	<0.1	Aquatic Chronic 2, H411
butanone oxime	CAS-No.: 96-29-7 EC-No.: 202-496-6 EC Index-No.: 616-014-00-0	0 - <0.01	Acute Tox. 3 (Oral), H301 Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Carc. 1B, H350 STOT SE 1, H370 STOT SE 3, H336 STOT RE 2, H373
cobalt bis(2-ethylhexanoate)	CAS-No.: 136-52-7 EC-No.: 205-250-6	<0.01	Eye Irrit. 2, H319 Skin Sens. 1A, H317 Repr. 2, H361 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Formaldehyde (Note B)(Note D)	CAS-No.: 50-00-0 EC-No.: 200-001-8 EC Index-No.: 605-001-00-5	<0.01	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Inhalation:dust,mist), H331 Skin Corr. 1B, H314 Skin Sens. 1, H317 Muta. 2, H341 Carc. 1B, H350
Hexachlorobenzene	CAS-No.: 118-74-1 EC-No.: 204-273-9 EC Index-No.: 602-065-00-6	<0.001	Carc. 1B, H350 STOT RE 1, H372 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
2,6-di-tert-butyl-4-methylphenol	CAS-No.: 128-37-0 EC-No.: 204-881-4	<0.001	Acute Tox. 4 (Oral), H302 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
ethylbenzene	CAS-No.: 100-41-4 EC-No.: 202-849-4 EC Index-No.: 601-023-00-4	<0.001	Flam. Liq. 2, H225 Acute Tox. 4 (Inhalation), H332 STOT RE 2, H373 Asp. Tox. 1, H304
Toluene	CAS-No.: 108-88-3	<0.001	Flam. Liq. 2, H225

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
	EC-No.: 203-625-9 EC Index-No.: 601-021-00-3		Skin Irrit. 2, H315 Repr. 2, H361d STOT SE 3, H336 STOT RE 2, H373 Asp. Tox. 1, H304 Aquatic Chronic 3, H412
cumene (Note C)	CAS-No.: 98-82-8 EC-No.: 202-704-5 EC Index-No.: 601-024-00-X	<0.001	Flam. Liq. 3, H226 Carc. 2, H351 STOT SE 3, H335 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

Specific concentration limits:

Name	Product identifier	Specific concentration limits		
4-[[4-(aminocarbonyl)phenyl]azo]-N-(2-ethoxyphenyl)- 3-hydroxynaphthalene-2-carboxamide, C.I. Pigment Red 170 (naphthol <1%)	CAS-No.: 2786-76-7 EC-No.: 220-509-3	(10 ≤C ≤ 100) Skin Sens. 1, H317		
cobalt bis(2-ethylhexanoate)	CAS-No.: 136-52-7 EC-No.: 205-250-6	(0.01 ≤C < 0.1) EUH208		
Formaldehyde	CAS-No.: 50-00-0 EC-No.: 200-001-8 EC Index-No.: 605-001-00-5	(0.2 ≤C < 100) Skin Sens. 1, H317 (5 ≤C < 100) STOT SE 3, H335 (5 ≤C < 25) Eye Irrit. 2, H319 (5 ≤C < 25) Skin Irrit. 2, H315 (25 ≤C < 100) Skin Corr. 1B, H314		

Note B : Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

Note C : Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.

Note D : Certain substances which are susceptible to spontaneous polymerisation or decomposition are generally placed on the market in a stabilised form. It is in this form that they are listed in Part 3. However, such substances are sometimes placed on the market in a non-stabilised form. In this case, the supplier must state on the label the name of the substance followed by the words 'non-stabilised'.

Note P: The harmonised classification as a carcinogen or mutagen applies unless it can be shown that the substance contains less than 0,1 % w/w benzene (Einecs No 200-753-7), in which case a classification in accordance with Title II of this Regulation shall be performed also for those hazard classes. Where the substance is not classified as a carcinogen or mutagen, at least the precautionary statements (P102-)P260-P262-P301 + P310-P331 shall apply.

Note T : This substance may be marketed in a form which does not have the physical hazards as indicated by the classification in the entry in Part 3. If the results of the relevant method or methods in accordance with Part 2 of Annex I of this Regulation show that the specific form of substance marketed does not exhibit this physical property or these physical hazards, the substance shall be classified in accordance with the result or results of this test or these tests. Relevant information, including reference to the relevant test method(s) shall be included in the safety data sheet. Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REAC	CH) with its amendment Regulation (EU) 2020/878
First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact	 advice (show the label where possible). Remove person to fresh air and keep comfortable for breathing. Wash skin thoroughly with mild soap and water. Take off contaminated clothing and wash before reuse. In case of contact, immediately flush eyes with plenty of water.
First-aid measures after ingestion	: Get medical advice/attention if you feel unwell.
4.2. Most important symptoms and e	ffects, both acute and delaved
Symptoms/effects after skin contact	: May cause an allergic skin reaction.
4.3. Indication of any immediate med	ical attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measure	S
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	Use extinguishing media appropriate for surrounding fire.None known.
5.2. Special hazards arising from the	substance or mixture
Fire hazard	: No particular fire or explosion hazard.
5.3. Advice for firefighters	
Firefighting instructions Protection during firefighting	 Keep upwind. Do not enter fire area without proper protective equipment, including respiratory protection. Use self-contained breathing apparatus.
SECTION 6: Accidental release m	leasures
6.1. Personal precautions, protective	equipment and emergency procedures
General measures	: Avoid creating or spreading dust. Avoid contact with skin, eyes and clothing.
6.1.1. For non-emergency personnel	
Protective equipment	: Refer to section 8.2.
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Refer to section 8.2.
Emergency procedures	: Ventilate area. Stop leak if safe to do so.
6.2. Environmental precautions	
Do not discharge into drains or the environme	ent. Prevent entry to sewers and public waters.
6.3. Methods and material for contain	iment and cleaning up
For containment	: Avoid generating dust. Sweep or shovel into suitable containers.
Methods for cleaning up	: On land, sweep or shovel into suitable containers.
6.4. Reference to other sections	
Section 8: personal protective equipment.	
SECTION 7: Handling and storage	e
7.1. Precautions for safe handling	
Precautions for safe handling	: Avoid creating or spreading dust. Do not breathe dust. Avoid contact with skin, eyes and clothing.
Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product.
7.2. Conditions for safe storage, inclu	uding any incompatibilities
Storage conditions	: Keep container closed when not in use.
Incompatible products	: Strong oxidizers.

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878			
Prohibitions on mixed storage Storage area 7.3. Specific end use(s) Marking.	 Incompatible materials. Store in dry, cool, well-ventilated area. 		
SECTION 8: Exposure controls/persona	al protection		
8.1. Control parameters 8.1.1 National occupational exposure and biologic	cal limit values		
Limestone (1317-65-3)			
United Kingdom - Occupational Exposure Limits			
WEL TWA (mg/m³)	10 mg/m ³ (total dust) 4 mg/m ³ (respirable dust)		
Aluminum oxide (1344-28-1)			
United Kingdom - Occupational Exposure Limits			
WEL TWA (mg/m³)	10 mg/m ³ (inhalable aerosol) 4 mg/m ³ (respirable aerosol)		
rosin (8050-09-7)			
United Kingdom - Occupational Exposure Limits			
WEL TWA (mg/m³)	0.05 mg/m ³		
WEL STEL (mg/m³)	0.15 mg/m ³		
Remark	(Sen)		
Cobalt Hydroxide (21041-93-0)			
United Kingdom - Occupational Exposure Limits			
WEL TWA (mg/m³)	0.1 mg/m ³		
aluminium powder (pyrophoric) (7429-90-5)			
United Kingdom - Occupational Exposure Limits			
WEL TWA (mg/m³)	10 mg/m ³ (inhalable dust) 4 mg/m ³ (respirable dust)		
Paraffin waxes (8002-74-2)			
United Kingdom - Occupational Exposure Limits			
WEL TWA (mg/m³)	2 mg/m³		
WEL STEL (mg/m³)	6 mg/m³		
Remark	(fume)		
Silicon dioxide (amorphous) (112926-00-8)			
United Kingdom - Occupational Exposure Limits			
WEL TWA (mg/m³)	6 mg/m ³ (inhalable aerosol) 2.4 mg/m ³ (respirable aerosol)		

Safety Data Sheet

Iron oxide red (1309-37-1)				
United Kingdom - Occupational Exposure Limits				
WEL TWA (mg/m³)	10 mg/m ³ (Rouge, inhalable fraction) 4 mg/m ³ (Rouge, respirable fraction) 5 mg/m ³ (fume, as Fe)			
WEL STEL (mg/m³)	10 mg/m³ (fume, as Fe)			
Calcium carbonate (471-34-1)				
United Kingdom - Occupational Exposure Limits				
WEL TWA (mg/m³)	10 mg/m ³ inhalable aerosol 4 mg/m ³ respirable aerosol			
cobalt bis(2-ethylhexanoate) (136-52-7)				
United Kingdom - Occupational Exposure Limits				
WEL TWA (mg/m³)	0.1 mg/m ³			
Titanium dioxide (13463-67-7)				
United Kingdom - Occupational Exposure Limits				
WEL TWA (mg/m³)	10 mg/m ³ inhalable aerosol 4 mg/m ³ respirable aerosol			
Carbon black (1333-86-4)				
United Kingdom - Occupational Exposure Limits				
Local name	Carbon black			
WEL TWA (mg/m³)	3.5 mg/m ³			
WEL STEL (mg/m³)	7 mg/m ³			
ethylbenzene (100-41-4)				
United Kingdom - Occupational Exposure Limits				
WEL TWA (mg/m³)	441 mg/m ³			
WEL TWA (ppm)	100 ppm			
WEL STEL (mg/m³)	552 mg/m³			
WEL STEL (OEL STEL) [ppm]	125 ppm			
Remark	(Sk)			
Toluene (108-88-3)				
United Kingdom - Occupational Exposure Limits				
WEL TWA (mg/m³)	191 mg/m³			
WEL TWA (ppm)	50 ppm			
WEL STEL (mg/m³)	384 mg/m ³			
WEL STEL (OEL STEL) [ppm]	100 ppm			

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Toluene (108-88-3)			
Remark	(Sk)		
Formaldehyde (50-00-0)			
United Kingdom - Occupational Exposure Limits			
WEL TWA (mg/m³)	2.5 mg/m³		
WEL TWA (ppm)	2 ppm		
WEL STEL (mg/m³)	2.5 mg/m³		
WEL STEL (OEL STEL) [ppm]	2 ppm		
cumene (98-82-8)			
United Kingdom - Occupational Exposure Limits	United Kingdom - Occupational Exposure Limits		
WEL TWA (mg/m³)	125 mg/m³		
WEL TWA (ppm)	25 ppm		
WEL STEL (mg/m³)	250 mg/m³		
WEL STEL (OEL STEL) [ppm]	50 ppm		
Remark	(Sk)		
2,6-di-tert-butyl-4-methylphenol (128-37-0)			
United Kingdom - Occupational Exposure Limits			
WEL TWA (mg/m³)	10 mg/m ³		
8.1.2. Recommended monitoring procedures			

g p

No data available

8.1.3. Air contaminants formed

No data available

8.1.4. DNEL and PNEC

No data available

8.1.5. Control banding

No data available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Avoid dispersal of dust in the air (i.e, clearing dust surfaces with compressed air). Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

8.2.2.1. Eye and face protection

Eve protection:

None under normal use. In case of dust production: protective goggles

8.2.2.2. Skin protection

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hand protection:

Wear suitable gloves resistant to chemical penetration. nitrile rubber gloves

8.2.2.3. Respiratory protection

Respiratory protection:

None under normal use

8.2.2.4. Thermal hazards

No data available

8.2.3. Environmental exposure controls

Other information:

Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

· · · · · · · · · · · · · · · · · · ·		
Physical state	:	Solid
Colour	:	Variable.
Appearance	:	A solid crayon-like marker.
Odour	:	Slight, vegetable oil.
Odour threshold	:	Not available
Melting point	:	66 °C
Freezing point	:	Not available
Boiling point	:	Not available
Flammability	:	Not available
Explosive limits	:	Not applicable
Lower explosive limit (LEL)	:	Not applicable
Upper explosive limit (UEL)	:	Not applicable
Flash point	:	204 °C
Auto-ignition temperature	:	Not applicable
Decomposition temperature	:	Not available
рН	:	Not available
pH solution	:	Not available
Viscosity, kinematic	:	Not applicable
Solubility	:	insoluble in water.
Log Kow	:	Not available
Vapour pressure	:	Not available
Vapour pressure at 50 °C	:	Not available
Density	:	Not available
Relative density	:	Not available
Relative vapour density at 20 °C	:	Not applicable
Particle size	:	Not available
Particle size distribution	:	Not available
Particle shape	:	Not available
Particle aspect ratio	:	Not available
Particle aggregation state	:	Not available
Particle agglomeration state	:	Not available
Particle specific surface area	:	Not available
Particle dustiness	:	Not available

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No data available

9.2.2. Other safety characteristics

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

VOC content

: 0%

	0 /0	
SECTION 10: Stability and reactivity		
10.1. Reactivity		
No dangerous reactions known.		
10.2. Chemical stability Stable under normal conditions.		
10.3. Possibility of hazardous reactions		
Hazardous Polymerization may occur.		
10.4. Conditions to avoid		
Heat.		
10.5. Incompatible materials		
Strong oxidizers.		
10.6. Hazardous decomposition products		
Aldehydes.		
SECTION 11: Toxicological information		
11.1. Information on hazard classes as define		
,	Not classified (Based on available data, the classification criteria are not met)	
	Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met)	
Limestone (1317-65-3)		
LD50 Oral rat	6450 mg/kg	
Aluminum oxide (1344-28-1)	·	
LD50 Oral rat	> 15900 mg/kg	
LC50 Inhalation rat	7.6 mg/l/4h	
rosin (8050-09-7)		
LD50 Oral rat	2800 mg/kg	
LD50 Dermal rat	> 2000 mg/kg	
Cobalt Hydroxide (21041-93-0)		
LD50 Oral rat	1060 mg/kg bodyweight	
LD50 Dermal rat	> 2000 mg/kg bodyweight	
aluminium powder (pyrophoric) (7429-90-5)		
LD50 Oral rat	> 15900 mg/kg bodyweight	
LC50 Inhalation rat (dust/mist)	> 10 mg/l/4h	
Paraffin waxes (8002-74-2)		
LD50 Oral rat	> 5000 mg/kg	
LD50 Dermal rat	> 2000 mg/kg	
Silicon dioxide (amorphous) (112926-00-8)		

Safety Data Sheet

Silicon dioxide (amorphous) (112926-00-8)			
LD50 Oral rat	> 5000 mg/kg		
LD50 Dermal rabbit	> 2000 mg/kg		
LC50 Inhalation rat	> 58.8 mg/l/4h		
Iron oxide red (1309-37-1)			
LD50 Oral rat	> 10000 mg/kg		
LD50 Dermal rat	5500 mg/kg		
LC50 Inhalation rat	5.05 mg/l/4h		
4-[[4-(aminocarbonyl)phenyl]azo]-N-(2-ethoxyphenyl)-3-hydroxynaphthalene-2-carboxamide, C.I. Pigment Red 170 (naphthol <1%) (2786- 76-7)			
LD50 Oral rat	> 15000 mg/kg		
LC50 Inhalation rat	> 1580 mg/m³ 4 h		
butanone oxime (96-29-7)			
LD50 Oral rat	> 900 mg/kg		
LD50 Dermal rabbit	> 1000 mg/kg		
LC50 Inhalation rat	> 4.83 mg/l/4h		
Distillates (petroleum), hydrotreated light (64742-4	7-8)		
LD50 Oral rat	> 5000 mg/kg		
LD50 Dermal rabbit	> 2000 mg/kg		
LC50 Inhalation rat (dust/mist)	> 5.28 mg/l/4h		
Stoddard solvent (benzene < 0.1%) (8052-41-3)			
LD50 Oral rat	> 5000 mg/kg		
LD50 Dermal rabbit	> 2000 mg/kg		
LC50 Inhalation rat	> 10 mg/l/4h		
Calcium carbonate (471-34-1)	Calcium carbonate (471-34-1)		
LD50 Oral rat	> 2000 mg/kg		
LD50 Dermal rat	> 2000 mg/kg		
LC50 Inhalation rat	> 3 mg/l/4h		
cobalt bis(2-ethylhexanoate) (136-52-7)			
LD50 Oral rat	3129 (1750 – 5000) mg/l		
LD50 Dermal rat	> 2000 mg/kg		
Titanium dioxide (13463-67-7)			
LD50 Oral rat	> 5000 mg/kg		
LC50 Inhalation rat	> 6.82 mg/l/4h		

Safety Data Sheet

Carbon black (1333-86-4)	
LD50 Oral rat	> 8000 mg/kg
LC50 Inhalation rat	> 4.6 mg/m³ 4 h
ethylbenzene (100-41-4)	
LD50 Oral rat	3500 mg/kg
LD50 Dermal rabbit	17.8 ml/kg
LC50 Inhalation rat [ppm]	< 1500 ppm
Toluene (108-88-3)	
LD50 Oral rat	5580 mg/kg EU Method B.
LC50 Inhalation rat	> 20 mg/l/4h OECD Guideline 403
Formaldehyde (50-00-0)	
LC50 Inhalation rat [ppm]	31.7 ppm
cumene (98-82-8)	
LD50 Oral rat	4000 mg/kg
LD50 Dermal rabbit	10600 mg/kg
LC50 Inhalation rat	22.1 mg/l
LC50 Inhalation rat [ppm]	4510 ppm/4h
Hexachlorobenzene (118-74-1)	
LD50 Oral rat	3500 mg/kg
2,6-di-tert-butyl-4-methylphenol (128-37-0)	
LD50 Oral rat	890 mg/kg
LD50 Dermal rat	> 2000 mg/kg
zinc sulphide (1314-98-3)	
LD50 Oral rat	> 15000 mg/kg
LC50 Inhalation rat	> 5410 mg/m ³ read-across Zinc
Unknown acute toxicity (CLP: Classification, Labelling, Packaging.) - SDS	 1.75% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral) 1.75% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal) 1.75% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist))
Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met)
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met)
Respiratory or skin sensitisation Germ cell mutagenicity	 May cause an allergic skin reaction. Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified. (The chemicals used are not available in the physical form known to cause
Carcinogenicity	cancer.)
Silicon dioxide (amorphous) (112926-00-8)	
IARC group	3 - Not classifiable
·	· ·

Safety Data Sheet

Iron oxide red (1309-37-1)		
IARC group	3 - Not classifiable	
Titanium dioxide (13463-67-7)		
IARC group	2B - Possibly carcinogenic to humans	
Carbon black (1333-86-4)		
IARC group	2B - Possibly carcinogenic to humans, Inhalation of dust	
ethylbenzene (100-41-4)		
IARC group	2B - Possibly carcinogenic to humans	
Toluene (108-88-3)		
IARC group	3 - Not classifiable	
Formaldehyde (50-00-0)		
IARC group	1 - Carcinogenic to humans	
cumene (98-82-8)		
IARC group	2B - Possibly carcinogenic to humans	
Hexachlorobenzene (118-74-1)		
IARC group	2B - Possibly carcinogenic to humans	
2,6-di-tert-butyl-4-methylphenol (128-37-0)		
IARC group	3 - Not classifiable	
Silicon dioxide (cristobalite) (14808-60-7)		
IARC group	1 - Carcinogenic to humans	
butanone oxime (96-29-7)		
NOAEL (chronic, oral, animal/male, 2 years)	270 mg/kg bodyweight mg/m3	
NOAEL (chronic, oral, animal/female, 2 years)	1350 mg/kg bodyweight mg/m3	
Titanium dioxide (13463-67-7)		
NOAEL (chronic, oral, animal/male, 2 years)	5 mg/kg bodyweight rat	
Additional information	Carcinogen, cat 1A or 1B. Inhalation of dust	
Reproductive toxicity	 Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) 	
STOT-single exposure butanone oxime (96-29-7)		
STOT-single exposure	Causes damage to organs (upper respiratory tract). May cause drowsiness or dizziness.	
Toluene (108-88-3)		
STOT-single exposure	May cause drowsiness or dizziness.	
cumene (98-82-8)		
STOT-single exposure	May cause respiratory irritation.	
<u> </u>		

Safety Data Sheet

	Not classified (Based on available data, the classification criteria are not met)
butanone oxime (96-29-7)	
STOT-repeated exposure	May cause damage to organs (blood system) through prolonged or repeated exposure.
Stoddard solvent (benzene < 0.1%) (8052-41-3)	
STOT-repeated exposure	Causes damage to organs (central nervous system) through prolonged or repeated exposure.
ethylbenzene (100-41-4)	
STOT-repeated exposure	May cause damage to organs (hearing organs) through prolonged or repeated exposure.
Toluene (108-88-3)	
LOAEC (inhalation, rat, gas, 90 days)	1250 ppmv/6h/day
NOAEL (oral, rat, 90 days)	625 mg/kg bodyweight/day EU Method B.26.
NOAEC (inhalation, rat, gas, 90 days)	300 ppmv/6h/day OECD Guideline 453
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Hexachlorobenzene (118-74-1)	
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.
2,6-di-tert-butyl-4-methylphenol (128-37-0)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard :	Not classified (Based on available data, the classification criteria are not met)
11.2. Information on other hazards 11.2.1. Endocrine disrupting properties Adverse health effects caused by endocrine : disrupting properties 11.2.2. Other information	None known
	No data available
SECTION 12: Ecological information	
12.1. Toxicity Unknown hazards to the aquatic environment (CLP) : Hazardous to the aquatic environment, short-term : (acute)	Contains 1.82 % of components with unknown hazards to the aquatic environment Not classified Not classified.
Limestone (1317-65-3)	
LC50 fish 1	> 200 mg/l
Aluminum oxide (1344-28-1)	
EC50 crustacea	1470 mg/l
NOEC (acute)	50 mg/l
rosin (8050-09-7)	
LC50 fish 1	< 10 mg/l 96 h
	10 an 45/05

Safety Data Sheet

11 mg/l 48 h 275 mg/l 6 mg/l 9 mg/l 1000 mg/l		
275 mg/l 6 mg/l 9 mg/l		
6 mg/l 9 mg/l		
6 mg/l 9 mg/l		
) mg/l		
1000 mg/l		
1000 mg/l		
-		
10000 mg/l		
1000 mg/l		
100 mg/l		
4-[[4-(aminocarbonyl)phenyl]azo]-N-(2-ethoxyphenyl)-3-hydroxynaphthalene-2-carboxamide, C.I. Pigment Red 170 (naphthol <1%) (2786- 76-7)		
500 mg/l 96 h		
110 mg/l 48 h		
100 mg/l 96 h		
01 mg/l 48 h		
100 % v/v, 96 h		
100 % v/v, 48 h		
cobalt bis(2-ethylhexanoate) (136-52-7)		
75 mg/l 96 h		
441 mg/l 48 h		
43 mg/l 34 days read-across cobalt dichloride		
21 mg/l 34 days read-across cobalt dichloride		
ethylbenzene (100-41-4)		
1 mg/l		
7 mg/l		
3 mg/l		
5 mg/l		

Safety Data Sheet

Toluene (108-88-3)		
EC50 - Crustacea [2]	3.78 mg/l	
ErC50 algae	134 mg/l	
LOEC (chronic)	2.77 mg/l	
NOEC chronic fish	1.39 mg/l	
NOEC chronic crustacea	0.74 mg/l	
Formaldehyde (50-00-0)		
LC50 fish 1	31.8 (21.1 – 47.7) mg/l 96 h	
EC50 crustacea	1.9 mg/l 48 h	
cumene (98-82-8)		
LC50 fish 1	4.8 mg/l	
EC50 other aquatic organisms 1	2.14 mg/l	
NOEC (acute)	1.9 mg/l	
2,6-di-tert-butyl-4-methylphenol (128-37-0)		
LC50 fish 1	0.199 mg/l 96 h	
EC50 crustacea	0.48 mg/l 48 h	
EC50 72h - Algae [1]	0.228 mg/l 96 h	
NOEC (acute)	0.15 mg/l 48 h	
zinc sulphide (1314-98-3)		
LC50 fish 1	> 0.25 mg/l 96 h	
EC50 crustacea	> 29 μg/l 48 h	
12.2. Persistence and degradability		
	ne White, Hex Yellow, 16 Black, 16 Blue, 16 Orange, 16 White, 16 Yellow, Fine Yellow, , Purple, Red, Silver, White, Yellow, Fluorescent Yellow, Flourescent Red, Fluorescent prescent Pink	
Persistence and degradability	Not established.	
Limestone (1317-65-3)		
Persistence and degradability	Not readily biodegradable.	
rosin (8050-09-7)		
Biodegradation	71 % 28 d	
Silicon dioxide (amorphous) (112926-00-8)		
Persistence and degradability	Product persists.	
4-[[4-(aminocarbonyl)phenyl]azo]-N-(2-ethoxypher 76-7)	yl)-3-hydroxynaphthalene-2-carboxamide, C.I. Pigment Red 170 (naphthol <1%) (2786-	
Persistence and degradability	Not readily biodegradable.	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

4-[[4-(aminocarbonyl)phenyl]azo]-N-(2-ethoxyphenyl)-3-hydroxynaphthalene-2-carboxamide, C.I. Pigment Red 170 (naphthol <1%) (2786-76-7) Biodegradation 0 % 28 d butanone oxime (96-29-7) 70 % 18 d Biodegradation cobalt bis(2-ethylhexanoate) (136-52-7) Persistence and degradability Readily biodegradable. Carbon black (1333-86-4) Persistence and degradability Not readily biodegradable. ethylbenzene (100-41-4) Persistence and degradability Not established. Toluene (108-88-3) Persistence and degradability Readily biodegradable. Formaldehyde (50-00-0) Persistence and degradability Readily biodegradable. cumene (98-82-8) Persistence and degradability May cause long-term adverse effects in the environment. 2,6-di-tert-butyl-4-methylphenol (128-37-0) Persistence and degradability Product persists. 12.3. Bioaccumulative potential Paintstik ® Original B Jumbo White, Hex White, Fine White, Hex Yellow, 16 Black, 16 Blue, 16 Orange, 16 White, 16 Yellow, Fine Yellow, Aluminum, Black, Blue, Green, Gray, Orange, Pink, Purple, Red, Silver, White, Yellow, Fluorescent Yellow, Flourescent Red, Fluorescent Green, Fluorescent Blue, Fluorescent Orange, Fluorescent Pink

Bioaccumulative potential	Not established.		
Limestone (1317-65-3)	Limestone (1317-65-3)		
Bioaccumulative potential	Does not biaccumulate significantly.		
rosin (8050-09-7)			
Log Pow	3 (3 – 6.2)		
4-[[4-(aminocarbonyl)phenyl]azo]-N-(2-ethoxyphenyl)-3-hydroxynaphthalene-2-carboxamide, C.I. Pigment Red 170 (naphthol <1%) (2786-76-7)			
BCF fish 1	53 l/kg		
Log Pow	1.28		
butanone oxime (96-29-7)			
Log Pow	0.63		
Distillates (petroleum), hydrotreated light (64742-47-8)			

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Distillates (petroleum), hydrotreated light (64742-47-8)		
2.1 – 5		
Bioaccumulative potential.		
Stoddard solvent (benzene < 0.1%) (8052-41-3)		
3.16 – 7.15		
2300 (2300 – 3900)		
ethylbenzene (100-41-4)		
Not established.		
Toluene (108-88-3)		
90		
2.73		
Formaldehyde (50-00-0)		
< 1		
0.35		
cumene (98-82-8)		
Not established.		
Hexachlorobenzene (118-74-1)		
5 - 6.92		
2,6-di-tert-butyl-4-methylphenol (128-37-0)		
2500		
4.17		
Expected to bioaccumulate.		

12.4. Mobility in soil

Paintstik ® Original B Jumbo White, Hex White, Fine White, Hex Yellow, 16 Black, 16 Blue, 16 Orange, 16 White, 16 Yellow, Fine Yellow, Aluminum, Black, Blue, Green, Gray, Orange, Pink, Purple, Red, Silver, White, Yellow, Fluorescent Yellow, Flourescent Red, Fluorescent Green, Fluorescent Blue, Fluorescent Orange, Fluorescent Pink

Ecology - soil	No data available.	
2,6-di-tert-butyl-4-methylphenol (128-37-0)		
Mobility in soil	low	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	4.36	

12.5. Results of PBT and vPvB assessment

Paintstik ® Original B Jumbo White, Hex White, Fine White, Hex Yellow, 16 Black, 16 Blue, 16 Orange, 16 White, 16 Yellow, Fine Yellow, Aluminum, Black, Blue, Green, Gray, Orange, Pink, Purple, Red, Silver, White, Yellow, Fluorescent Yellow, Fluorescent Red, Fluorescent Green, Fluorescent Blue, Fluorescent Orange, Fluorescent Pink

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Paintstik ® Original B Jumbo White, Hex White, Fine White, Hex Yellow, 16 Black, 16 Blue, 16 Orange, 16 White, 16 Yellow, Fine Yellow, Aluminum, Black, Blue, Green, Gray, Orange, Pink, Purple, Red, Silver, White, Yellow, Fluorescent Yellow, Flourescent Red, Fluorescent Green, Fluorescent Blue, Fluorescent Orange, Fluorescent Pink PBT: not yet assessed vPvB: not yet assessed Component Cobalt Hydroxide (21041-93-0) PBT: not relevant - no registration required vPvB: not relevant - no registration required Toluene (108-88-3) This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII 12.6. Endocrine disrupting properties Adverse effects on the environment caused by : None known endocrine disrupting properties 12.7. Other adverse effects Additional information : No data available SECTION 13: Disposal considerations 13.1. Waste treatment methods Sewage disposal recommendations : Do not dispose of waste into sewer. Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. HP Code : HP13 - "Sensitising:" waste which contains one or more substances known to cause sensitising effects to the skin or the respiratory organs. **SECTION 14: Transport information** In accordance with ADR / IMDG / IATA / ADN / RID 14.1. UN number or ID number UN-No. (ADR) : Not regulated. UN-No. (IMDG) : Not regulated. UN-No. (IATA) : Not regulated. UN-No. (ADN) : Not regulated. UN-No. (RID) : Not regulated. 14.2. UN proper shipping name Proper Shipping Name (ADR) : Not regulated. Proper Shipping Name (IMDG) : Not regulated. Proper Shipping Name (IATA) : Not regulated. Proper Shipping Name (ADN) : Not regulated. Proper Shipping Name (RID) : Not regulated. 14.3. Transport hazard class(es) ADR Transport hazard class(es) (ADR) : Not regulated. IMDG Transport hazard class(es) (IMDG) : Not regulated.

IATA

Transport hazard class(es) (IATA)

: Not regulated.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ADN

Transport hazard class(es) (ADN)	: Not regulated.
RID	
Transport hazard class(es) (RID)	: Not regulated.
14.4. Packing group	
Packing group (ADR)	: Not regulated.
Packing group (IMDG)	: Not regulated.
Packing group (IATA)	: Not regulated.
Packing group (ADN)	: Not regulated.
Packing group (RID)	: Not regulated.
14.5. Environmental hazards	
Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available
14.6. Special precautions for user	
Overland transport	
Not regulated.	

Transport by sea Not regulated.

Air transport

Not regulated.

Inland waterway transport

Not regulated.

Rail transport Not regulated.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
28.	Formaldehyde ; Hexachlorobenzene	Substances which are classified as carcinogen category 1A or 1B in Part 3 of Annex VI to Regulation (EC) No 1272/2008 and are listed in Appendix 1 or Appendix 2, respectively.
3(a)	Stoddard solvent (benzene < 0.1%) ; ethylbenzene ; Toluene ; cumene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	Stoddard solvent (benzene < 0.1%) ; butanone oxime ; Distillates (petroleum),	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
	hydrotreated light ; ethylbenzene ; Toluene ; cumene ; Formaldehyde	
3(c)	Toluene ; cumene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	Stoddard solvent (benzene < 0.1%) ; aluminium powder (pyrophoric) ; ethylbenzene ; Toluene ; cumene	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.
48.	Toluene	Toluene
72.	Formaldehyde	The substances listed in column 1 of the Table in Appendix 12

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Substances subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 july 2012 concerning the export and import of hazardous chemicals: Hexachlorobenzene (118-74-1)

Contains substance(s) subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants: Hexachlorobenzene (118-74-1)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

VOC content

: 0%

15.1.2. National regulations

All ingredients are listed on the Canadian Domestic Substances List (DSL) or Non-Domestic Substances List (NDSL).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Indication of changes:

Added. Product.

Abbreviations and acronyms:	
	ATE: Acute Toxicity Estimate
	CAS (Chemical Abstracts Service) number
	CLP: Classification, Labelling, Packaging.
	EC50: Environmental Concentration associated with a response by 50% of the test population.
	GHS: Globally Harmonized System (of Classification and Labeling of Chemicals).
	LD50: Lethal Dose for 50% of the test population
	OSHA: Occupational Safety & Health Administration
	PBT: Persistent, Bioaccumulative, Toxic
	TWA: Time Weighted Average

Safety Data Sheet

Abbreviations and ac	ronyms:	
	TSCA: Toxic Substances Control Act	
Other information	: None.	

Full text of H- and EUH-s	tatements:
	(Jumbo White, Hex White, Hex Yellow, 16 Blue, 16 Orange, 16 White, 16 Yellow, Fine Yellow, Blue, Green, Gray, Orange, Pink, Purple, White, Yellow).
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Carc. 1B	Carcinogenicity, Category 1B
Carc. 2	Carcinogenicity, Category 2
EUH208	Contains {0 message≤name of sensitising substance> fieldvalue=_SENSITIZER_COMPONENTS}. May produce an allergic reaction.
EUH212	Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H250	Catches fire spontaneously if exposed to air.
H261	In contact with water releases flammable gases.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.

Safety Data Sheet

Full text of H- and EUH-statements:	
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H351	Suspected of causing cancer.
H361	Suspected of damaging fertility or the unborn child.
H361d	Suspected of damaging the unborn child.
H370	Causes damage to organs.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Muta. 2	Germ cell mutagenicity, Category 2
Pyr. Sol. 1	Pyrophoric Solids, Category 1
Repr. 2	Reproductive toxicity, Category 2
Resp. Sens. 1	Respiratory sensitisation, Category 1
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1A	Skin sensitisation, category 1A
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
STOT SE 1	Specific target organ toxicity — single exposure, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
Water-react. 2	Substances and Mixtures which, in contact with water, emit flammable gases, Category 2

 Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

 Skin Sens. 1
 H317
 Calculation method

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.