SAFETY DATA SHEET

1. Product and Company Identification

[Product name] No.520F/No.580B Black (AUS)

[File No.] 204099E 2018/03/19 [Date of issue]

[Details of Manufacture]

Manufacture's name: MITSUBISHI PENCIL CO., LTD.

Address: 5-23-37, HIGASHIOHI, SHINAGAWA, TOKYO, JAPAN

03-3450-0363 Telephone number: 03-3458-6281 telefax number:

(Only office hour are available.)

[Details of Supplier]

Supplier's name: Mitsubishi Pencil Australia (ABN:31 085 515 671) Address: 674 Lorimar Street, Port Melbourne VIC 3207

Telephone number: (Only office hour are available.) 03 9646 5630

Emergency phone

number:

03 9646 5630

2. Hazards identification

Information of this section is about the ink.

[Classification of the substance or mixture]

PHYSICO-CHEMICAL HAZARDS

Flammable Liquids : Category2

HEALTH HAZARDS

Acute toxicity(oral) : Not classified Acute toxicity(skin) : Not classified Acute toxicity(inhalation steam) : Not classified Skin corrosion/irritation : Category3 Serious eye damage/Eye Irritation : Category2

Respiratory sensitizer : Classification not possible Skin sensitizer : Classification not possible

Germ cell mutagenicity : Category1

Carcinogenicity : Classification not possible

Toxic to reproduction : Category1 Specific target organ systemic toxicity(single exposure) : Category1 Specific target organ systemic toxicity(repeated exposure) : Category1 Aspiration hazard : Category2

ENVIRONMENTAL HAZARDS

Hazard to the Aquatic Environment (Acute) : Classification not possible Hazard to the Aquatic Environment (Chronic) : Classification not possible

[Label elements]

Pictogram







Signal Word : Danger

Hazard Statement : Highly flammable liquid and vapour

: May be harmful if swallowed and enters airways

- : Causes mild skin irritation
- Causes serious eye damage
- : Harmful if inhaled
- : May cause genetic defects
- : May damage fertility or the unborn child
- Causes damage to organs
- : Causes damage to organs through prolonged or repeated exposure

Precautionary Statement

- : Keep away from heat/sparks/open flames/hot surfaces. -No smoking.
- : Keep cool.
- : Ground/bond container and receiving equipment.
- : Do not breathe dust/vapours etc..
- : Do not eat, drink or smoke when using this product.
- : Use in a well-ventilated area.
- : Use personal protective equipment as required. (Refer to Section 8)
- IF ON SKIN(or hair): Remove immediately all contaminated clothing. Rinse skin with water.
- : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easys to do. Continue rinsing.
- : IF exposed or concerned: Get medical advice/attention.
- : If skin irritation occurs: Get medical advice/attention.
- : If eye irritation persists: Get medical advice/attention.
- : In case of fire: Use appropriate means for fire extinguishing in accordance with all current regulations and standards.
- : IF SWALLOWED:Get immediate medical advaice/attention.Do NOT induce vomiting.
- : IF INHALED:Remove victim to fresh air and keep at rest in a position comfortable for breathing.Get medical advice/attention if you feel unwell.
- : Store in a well-ventilated place. Keep cool.
- : Dispose in accordance with all current regulations and standards.

[Other hazards]

No information available.

3. Composition/information on ingredients

[The chemical product is a substance or a mixture]		Mixture	
[Chemical nature]	[Component parts]	Ink	
Chemical name	Cas No.		Concentration range(wt%)
Ethanol	64-17-5		30-50
Propanol, 1-methoxy-	107-98-2		30-50
2-Propanol	67-63-0		10-30

4. First aid measures

[Description of first aid measures]

Eye contact : Flush eyes with plenty of water for at least 15 minutes.

: Take off the contact lens if possible: Then get medical attention immediately.

Skin contact : Wash skin.

: Consult medical advice depending on the symptoms.

: Thoroughly clean and dry contaminated clothing and shoes before reuse.

Ingestion : Consult medical advice, and show the SDS to physician.

: Never give anything by mouth. If vomiting occurs, keep head lower than hips to

help prevent asporation.

Inhalation : Remove from exposure area to fresh air immediately. Give artificial respiration if

not breathing.

: Consult medical advice, and show the SDS to physician.

[Most important symptoms and effects, both acute and delayed]

No information available.

[Indication of any immediate medical attention and special treatment needed]

No information available.

5. Firefighting measures

[Extinguishing media] Regular dry chemical, carbon dioxide, water, regular foam

[Special hazards arising from the substance or mixture]

No further relevant information available.

[Advice for firefighters] Stay upwind and keep out of low areas and avoid inhalation of material or

combustion by-products.

Wear suitable protective equipment.

6. Accidental release measures

[Personal precautions, protective equipment and emergency procedures]

Rope off the area to contain the leak and prohibit entrance except for

authorized persons.

Wear appropriate protection gear.

Do not work in the leeward.

[Environmental precautions] Collect leaked material in empty container after leading outflow to a safe area

containing earth and sand.

Do not allow leaked material to pollute rivers, lakes, etc.

[Methods and material for containment and cleaning up]

Wipe off by dry cloth and wash with water.

Dispose of pollution or waste in accordance with national, state and local

regulations.

[Reference to other sections] No information available.

7. Handling and storage

[Precautions for safe handling]

Do not lick or swallow the ink.

Avoid contact with skin and eyes.

Ventilate the room in case of using and don't breathe the vapor.

Recap after use (if there is a cap), and keep out of the reach of infants.

Don't shake.

[Conditions for safe storage, including any incompatibilities]

Keep away from oxidizing materials, ignition sources, high temperature and

direct sunlight.

Recommended temperature : 0-40°C

[Specific end use(s)] No information available.

8. Exposure controls/personal protection

[Control parameters]

Chemical name	OSHA	ACGIH
2-Propanol	-	(TWA)200ppm (STEL)400ppm
Ethanol	_	(TWA)1000ppm
Propanol, 1-methoxy-	-	(TWA)100ppm (STEL)150ppm

[Exposure controls]

Protective equipment : Ventilate the room in case of using it and don't

breathe the vapor. Do mechanical exhaust as needed.

Respiratory protection : Not required.
Hands protection : Not required.
Eye protection : Not required.
Skin protection : Not required.

9. Physical and chemical properties

[Information on basic physical and chemical properties]

Color : Black
State : Liquid
Odor : slight odor

pH : No information available.

Boiling point : No information available.[Ethanol 78.3°C]

Melting point : No information available.

Flash point : No information available.[2-Propanol 11.7°C]

Autoignition temperature : No information available.[Propanol, 1-methoxy- 270.0°C]

Explosion limits : No information available.

Vapor density(air=1) : No information available.

Density : about 0.9

Solubility in water : No information available. Evaporation rate : No information available.

Volatile : >80%

[Other information] No information available.

10. Stability and reactivity

[Chemical stability] This mixture is stable in normal temperature, a condition of the pressure.

[Reactivity] No data available.

[Conditions to avoid] Avoid heat, flames, sparks and other sources of ignition.

Avoid direct sunlight and high temperature.

[Incompatible materials] No information available.
[Hazardous decomposition products] No information available.
[Possibility of hazardous reactions] No information available.

11. Toxicological information

[Information on toxicological effects]

Acute toxicity(oral)

Not classified : >5000 mg/kg (estimate value)

Acute toxicity(skin)

Not classified : >5000 mg/kg (estimate value)

Acute toxicity(inhalation:vapours)

Not classified : >50 mg/L (estimate value)

Skin corrosion/irritation

Propanol, 1-methoxy- : Category3

Serious eye damage/Eye Irritation

2-Propanol : Category2A
Ethanol : Category2A
Propanol, 1-methoxy- : Category2

Respiratory sensitizer

No information available.

Skin sensitizer

No information available.

Germ cell mutagenicity

Ethanol : Category1B

Carcinogenicity

No information available.

Toxic to reproduction

2-Propanol : Category2
Ethanol : Category1A

Specific target organ systemic toxicity(single exposure)

2-Propanol : Category1
Ethanol : Category3
Propanol, 1-methoxy- : Category3

Specific target organ systemic toxicity(repeated exposure)

2-Propanol : Category2
Ethanol : Category1

Aspiration hazard

2-Propanol : Category2

Hazard to the Aquatic Environment (Acute)

No information available.

Hazard to the Aquatic Environment (Chronic)

No information available.

12. Ecological information

[Results of PBT and vPvB assessment]

No information available.

[Other adverse effects] No information available.

13. Disposal considerations

[Waste treatment methods]

Dispose in accordance with all current regulations and standards.

Do not allow it to flow into the drainages with waste fluid.

14. Transport information

[Environmental hazards] No information available.

[HS Code] 960820

[Special precautions for user] Check the container for any leakage. Load a cargo without a dropping or

incurring damage, and take causion against collapse of container.

15. Regulatory information

Information of this section is about the ink.

[Safety, health and environmental regulations/legislation specific for the substance or mixture]

Follow all regulation in your country.

[Chemical safety assessment]

Ink or lead are manufactured in accordance with ISO 8124-3 Safety of Toys - Part 3""

16. Other information

- The information is based on our present knowledge at the date of its publication, and designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.
- This shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.