HOT DEALS DIRECT



Order online at **euromarc.co.nz**

EUISMACCSo Quick. So Easy



Elevate Your Safety Standards with TECMEN Respirators

Experience comfort and protection from TECMEN's respirator excellence

107 x 75mm Best optical class 1/1/1/1 Lens to bring true colour and clear vision to the welder.

Large grinding view

anti-fog lens

Respirator Unit

\$1,598.00ea

Superior lens technology

200x120mm curved and clear

TM1000 Helmet and

Smooth flip-up function

Spring loaded for easy flip-up function and parked position.

Intelligent air supply

Self-adjust airflow rate according to the blockage of the filter.

Also Available

NZS 1716:2012

TECMEN Helmet & Freflow Respirator units compliant with

Auto Darkening Lens - AS/NZS1338,

High level respirator protection - AS/

High impact resistance - AS/NZS



TM1000 Hard Hat Extra hard hat protection



Extra lightweight and slim design

Rechargeable Li-ion battery

1 hour quick charge gives up to 9 hours of uninterrupted air-flow, with the best warranty on the market, 1 year warranty

Audio-visual and vibrating alarm

TECMEN

ndicates when battery charge and/or filter replacement is required.



All respirator units come with a FREE Trade Backpack

G10 Respirator Unit



Large impact resistant face shield

- · Provides unobstructed vision with no distortion and allows complete transmission of light while protecting the eyes and face from heat and debris. Face shield impact rating Certified to EN166:2001 CE Catll, 3 - Splashes of liquids, 9 - Molten metals and hot solids. High impact rating as of ASNZS1337 Bump Cap Head protection blended engineering plastics with both rigidity and toughness, with mulitpoint buffer to disperse vibrations. Compliant to
- Adjustable air outlet at the top of the head -to distribute the airflow to the breathing zone, and face shield.
- · Easily flip-up the of the face shield.
- Able to be used with Neck type Earmuffs.
- · Helmet weight 660a.
- Operation temperature: -10 to 55C

\$1,350.00ea

G20 Hard Hat Respirator Unit



When extra Hard Hat and face shield protection is needed

- Includes all the features of the G10 with additional hard hat protection.
- · Hard Hat Head protection: Blended engineering plastics with both rigidity and toughness, with multi-point buffer to disperse vibrations.
- Compliant to EN397, Conforms to AS/NZS1801

\$1.490.00ea

Stay Safe & Protect Against **All Workshop Fumes**

Tecmen FreFlow Respirator and filters options.

- Intelligent air supply; self-adjust airflow rate according to the blockage of the filter
- User friendly LED indicator display to show power, filter status, and battery indicator, with Audio, visual and vibrating alarm system.
- Adjustable airflow Low speed airflow 170 lpm High speed airflow 210 lpm
- 2 year blower unit warranty

• Unit comes standard with Pre and Particale filters, compliant to AS/NZS 1716:2012

ABEK-1 Gas Filters

Optional extra prevents inhalation of organic, inorganic, acidic, ammonia & other harmful gases (A1B1E1K1).

For filtering large particles & to extend

the life of the P3 Main filter

· Used in conjunction with a Pre-Filter & Particle filter.point buffer to disperse vibrations.

Odour Filters

An optional extra charcoal filter layer is recommended to help to reduce nuisance odours during cutting, burning and welding applications.

- · Used in conjunction with a Pre-Filter & Particle filter.
- · Replace any time you can smell odours while wearing the respirator.



Provide the highest level of welding, dust, and grinding particle protection (99.97%),

- · Compliant to AS/NZS 1716:2012.
- · Used in conjunction with a Pre-Filter*

Order online at euromarc.co.nz | 0800 278 600 | sales@euromarc.co.nz

Safe Workshops, Empowered Workers: Protecting Your Workshop Against Exposure

In New Zealand it is an employer's duty to provide a healthy work environment that includes safety equipment, rules, regulations and training. It is the employee's responsibility to follow the rules. However it is also your job to monitor them and make sure they are following the rules, and take appropriate measures if they are not.

Here's how Euromarc can help you in reducing risks to protect both workers and your business:

PAPR Equipment

Employers must provide adequate/appropriate PPE, and engineering workshops are being encouraged to use Powered Air Purifying Respirators (PAPR) to protect both workers and themselves against harmful welding fumes

Our TECMEN respirator units provide high level respirator protection, compliant to AS/NZS 1716:2012 standards.



TM1000



TM1000 Hard Hat



TM820



G10



PAPR Training

Euromarc provide video tutorial training and certificates of completion for the correct use of TECMEN PAPR units. This includes training on fitting the units, when and how to change filters and lens, and how to correctly clean and store the units.

Visit:

www.euromarc.co.nz/resources/QUICKSKILL-training-academy



Information on Welding Fume Health Risks

In addition to PAPR training, we also have a wealth of information around the dangers of welding fumes and how to stay safe on in the Resources section on our website

Visit:euromarc.co.nz/resources/safety/respiratory-and-welding-safety/welding-and-its-dangers

HOW TO COMPLY WITH WORKSAFE AS A PCBU

WHAT YOU NEED TO KNOW ABOUT AIR QUALITY H&S REGULATIONS

WELDING FUMES - HOW MUCH EXPOSURE CAUSES CANCER?

ARE WORKSHOP PROCESSES MAKING YOU SICK?

WELDER'S MOST FREQUENTLY ASKED QUESTIONS ABOUT RESPIRATORY PROTECTION

BEST PRACTICES FOR WELDING IN CONFINED SPACES



Safety is Top Priority at DTS

DTS have chosen to mandate positive air pressure units across their entire workshop. We talk with some of the team to learn more about their decision and how it has impacted their workshop and employees...

WHAT MADE YOU START LOOKING AT USING POWERED AIR **RESPIRATOR UNITS?**

What made us start looking at positive air-pressure units was the fact we're a stainless-steel fabrication workshop, we've got a number of tasks, both welding and polishing that generate particulates, and particularly the hexavalent chromium fumes are known to be particularly dangerous long term. We want to keep our employees safe, so we have mandated positive air-pressure units across our workplace now.

Mike Doyle, Engineering & Production Manager

WHAT DIFFERENCE HAS IT MADE TO YOUR STAFF IN HAVING THE PAPR UNITS?

[Mike] I think our staff, more and more these days are becoming aware of the long-term effects of particulates in the air. It gives them a level of comfort that they can go home knowing that in 60 years' time they're not going to have respiratory problems.

[Brandon] So it's made a big difference to the staff in meeting compliance. With the TECMEN you only have to grab two pieces of equipment. You're grabbing your helmet and

the blower unit. Whereas if the guys are using the half-face with the positive air-pressure unit they have to go grab the air-hose, the unit, their half-face, their welding helmet, so it just adds up and they're not always meeting compliance.

Brandon West, Projects Team Leader

WHAT DIFFERENCE HAS IT MADE TO YOUR **JOB IN USING THE RESPIRATOR UNIT?**

The difference I've had from using the respirator unit would just be, before I was using it, I'd just go home, feel groggy, feel yuck and all that, now that I've been using it I go home and feel like I've got a fresh set of lungs. So much easier.

Brock Fairweather, Production Engineer



SEE THE FULL STORY HERE

WIN A TECMEN G10 Respirator Unit

Simply complete the word search below, take a photo and submit your entry using the QR code.

Download additional word search forms online.




Worksafe **Exposure** Workshop **Welding Fumes Face Shield** Safety **Breathe Easy Engineer** Respirator Tecmen



SUBMIT YOUR ENTRY HERE

L	С	S	Е	N	G	I	N	Е	Е	R	N	Е	Е
Е	Е	Н	М	1	Α	L	S	s	Α	F	Е	Т	Υ
0	Е	D	М	R	0	Е	S	Е	Е	S	Р	S	С
В	R	Е	Α	Т	н	Е	Ε	Α	S	Υ	0	Υ	F
R	0	Т	Α	R	ı	Р	S	E	R	Е	Е	S	0
G	D	Т	F	S	E	F	Α	S	K	R	0	w	R
E	Α	S	R	W	R	R	F	1	Е	Υ	Е	Е	Е
Α	S	Е	Е	R	U	S	Е	Ε	U	Е	С	F	Е
С	М	Е	R	U	s	0	Р	Х	Ε	0	S	D	D
S	F	Α	С	Е	S	Н	1	Е	L	D	Е	В	Е
K	w	0	R	K	S	н	0	Р	1	Е	0	S	R
E	U	W	Е	L	D	1	N	G	F	U	M	Е	S
E	N	Е	М	С	Е	Т	F	Т	0	Α	R	R	U
Н	Υ	S	R	R	S	Е	Υ	ı	Е	U	F	F	Е

Order online at euromarc.co.nz | 0800 278 600 | sales@euromarc.co.nz





INCREASED RANGE

TIG WELDING TORCH PARTS

Parts to suit 17.18, and 26 series torch bodies.

TIG Tungsten - 2% Thoriated Red - 10pk



A popular choice for their exceptional performance and reliability. These electrodes are highly durable and maintain a stable arc in various welding applications.

- Superior Arc Stability: 2% Thoriated electrodes provide a consistent and stable arc geometry, making them suitable for both AC and DC welding processes. Greater Current Capacity: Allowing the electrode to carry more heat and reduces the potential for tungsten inclusions over pure tungsten.
- Longevity: These electrodes operate far below their melting temperature and therefore are consumed less in the welding process and tend to deposit less into the weld puddle.
- Easy to Identify: The distinctive red color of the electrode tip makes it easy to identify and differentiate from other tungsten types.
- Applications: DC Welding on Carbon Steel, Stainless Steel, Nickel and Titanium alloys.

TIG Tungsten - 2% Thoriated Red -10pk

Size	Length	Code
1.6mm	175mm	VTWETR1716
2.4mm	175mm	VTWETR1724
3.2mm	175mm	VTWETR1732

TIG Tungsten - 0.8% Zirconiated White - 10pk



A good choice for higher amperage levels and work well with both transformer and inverter power sources.

- Excellent AC Performance: 0.8% Zirconiated electrodes excel in AC welding applications, providing a stable arc with minimal contamination in the weld. Clean Welds: Achieve cleaner welds with reduced tungsten inclusions.
- Stable Arc: Zirconiated tungsten produce a very stable arc and resistant to tungsten splitting.
- Balling Tip Welding: Allows the welder to ball the tungsten for welding in aluminium welding to stabilize the arc and create a more evenly formed bead.
- **Applications:** Perform exceptionally well in applications involving aluminium and magnesium alloys.

TIG Tungsten - 0.8% Zirconiated White -10pk

Size#	Length	Code
2.4	175mm	VTWEZW1724
3.2	175mm	VTWEZW1732

TIG Tungsten - E3 Element Purple - 10pk



Containing rare earth elements this electrode is long-lasting as well as being better for the environment, they deliver clean precise welds in various applications.

- Improved Arc Stability: Universal and suitable for both AC and DC welding processes, ensuring consistent and reliable results with repeated arc striking maintaining a point
- Reduced Tungsten Contamination: Lower risk of tungsten contamination ensuring clean, high-quality welds
- Lower Radioactive Content: With rare earth mixed oxides compared to thoriated electrodes, E3 is less harmful to the environment and not radioactive. Electrode temperature: Remains consistently low, which increases the current-carrying capacity and increases the service life of the electrode.
- Applications: Extremely versatile and an alternative for Thoriated and Zirconiated Tungsten Electrodes, making them ideal for almost all applications, including stainless steel, mild steel, aluminium, titanium and copper alloys.

TIG Tungsten - E3 Element Purple -10pk

Size	Length	Code
1.6mm	175mm	VTWEEP1716
2.4mm	175mm	VTWEEP1724
3.2mm	175mm	VTWEEP1732



\$20.49ea

Pack of 12 \$18.82^{ea}

Excellent dexterity / feel and good heat-resistance

euramarc° **CRAFTSMAN**

MIG WELDER **GLOVE**

306

Durable black leather/blue welted MIG gloves, lined with Kevlar stitching.

- · Lined for comfort
- · Blue welting in all vulnerable seams for added wear and protection
- · Generous sizing to reduce hand fatigue
- · Wing thumb for comfort, flexibility, and reduced stress on hands
- · Lenath 350mm Lona
- Approved to safety standards EN388 = 4244. EN407 = 413X4X
- Size L

\$12.90ea


Pack of 6 \$10.90ea

euramarc* **CRAFTSMAN**

MIG WELDER GI OVF

315

Premium Aluminized Welders Glove, for extra protection and high heat welding. Fully lined and extra reinforcina.



- · Increases glove life
- · Crafted with fully stitched inside lining for long lasting use and a
- Premium cowhide leather with extra reinforcing around the palm and thumb
- Kevlar stitched to withstand high temperatures
- · Length 400mm
- Approved to safety standards EN388 = 4244. EN407 = 424X4X
- Size L

\$31.65^{ea}

Pack of 6



euramarc* **CRAFTSMAN**

MIG WFI DFR

- Superior comfort and super tough.
- Fully stitched inside lining for long lasting use and a better fit.
- Premium cowhide leather with extra reinforcing around the palm and thumb.
- Kevlar stitched to withstand high temperatures.
- XL also available.

M/L \$16.89^{ea}

Pack of 12 \$12.98^{ea}

MIG WELDER 311

\$18.55ea

Pack of 12 \$14.94ea

euramarc' **CRAFTSMAN**

MIG WFI DFR

- · Extended extra cuff gloves for full arm protection. 680mm long.
- Premium cowhide leather with kevlar stitching and a reinforced palm.
- · Fully stitched inside lining for more comfort and long-lasting.



12 or more \$27.32ea

312

24 or more



MIG WELDER

311

 Superior comfort and super touah.

I FFT HAND

- Fully stitched inside lining for long lasting use and a better fit.
- Premium cowhide leather with extra reinforcing around the palm and thumb.
- · Kevlar stitched to withstand high temperatures.
- (Two left hand gloves)

\$19.22ea

12 or more \$12.98ea

Carton of 48 \$11.89^{ea}

CHAFTSMAN DER 311



euramarc*

CRAFTSMAN

LEATHER BLANKET

151

- Heavy-duty split cowhide leather.
- For protection against sparks, medium spatter and indirect heat.
- Kevlar stitched to increase resistance to heat and cuts.

Size: 1800 x 1800mm.



\$120.31ea

5 or more 104.44^{ea}

euramarc* **CRAFTSMAN**

WELDERS **APRON**

153

- Chest to knee protection. Made from top quality split cowhide blue leather,
- sourced from America and Italy.
- · Doesn't shed fibres like standard grey/chrome leather. Resists ageing and hardening, remaining supple and tough.
- · Riveted stress points and doublestitched with Kevlar providing longer garment life in tough conditions.
- · Adjustable webbing straps. utility pocket.

Size: 1000x700mm

\$39.47^{ea}

6 or more

162

euramarc° **CRAFTSMAN**

WELDERS HOOD

Lightweight flame-resistant cotton hood for better cover from dust and debris. Velcro opening.

- · Lightweight, cool, flame resistant cotton.
- Velcro opening, easy to wear.
- Sewn with Kevlar thread.

\$23.76^{ea}

10 or more \$20.45°



CRAFTSMAN WELDERS 162



0800 278 600

sales@euromarc.co.nz

Food Grade Lubricants

PURITY FG2 Synthetic Grease

Suitable for use

with Jarvis tools

Compatible with CRC Food Grade Extreme Duty Grease and other calcium sulfate based greases

SYNTHETIC EP2 FOOD MACHINERY GREASE GRAISSE SYNTHÉTIQUE EP2
POUR L'INDUSTRIE ALIMENTAIRE (H) 400 g/14 oz

Top Performing Multi-Use Grease



Wide temperature range of -40° to 200°

> Exceptional resistance to water wash-outs

MPI New Zealand & Dairy Approved

\$26.41^{ea}

Pack of 10 \$20.62ea

New look coming soon

PURITY FG2 White Grease

PURITYTM FG2 Grease is a food safe, NLGI 2 grease suitable across a wide range of applications. It's ideal for replacing CRC Food Grade Multi-Purpose Grease and other aluminium complex based greases.

400g Tube



Pack of 10 \$19.84ea





PURITY FG2 Spray

A super tacky multi-use spray lubricant delivering excellent performance under highly demanding conditions.

- Withstands rigorous water wash-down processes.
- Excellent in any application.
- Suitable for interior or exterior use.

290g Aerosol

\$33.16^{ea}

Pack of 12 \$19.56^{ea}





PURITY FG AW Hydraulic Oil

PURITY FG AW 46 HYDRAULIC FUID FLUIDE HYDRAULIQUE 20 LITRES 53 GALUS

Developed to deliver excellent performance in high pressure systems, PURITY FG AW Hydraulic Fluids are specially designed to lubricate anti-friction bearings found in various pump designs and general circulating systems. Whether you're working in food or regular non-food applications, these hydraulic fluids provide excellent anti-wear (AW) protection that extends equipment life and improves operating reliability over a wide range of pump output pressures.

- · Resists oxidative breakdown
- Excellent anti-wear protection
- Long-term protection from rust and corrosion
- Excellent resistance to contamination
- Highly resistant to foaming and air entrapment

PURITY FG Compressor Oil



PURITY™ FG Compressor Fluids deliver synthetic-like performance and long lasting protection on rotary screw, rotary vane and reciprocating air compressors as well as vacuum pumps.

- Resists oxidative breakdown better than leading specialty food grade compressor fluids
- · Resists varnish formation
- Excellent separation from water contamination
- · Low foaming tendencies
- Provides good anti-wear protection
- Provides excellent rust and corrosion protection
- · Low odour Low volatility

PURITY FG EP Gear Oil



PURITY™ FG EP Gear Fluids are food safe, providing outstanding lubrication in enclosed gears operating under normal or heavy shock-loading conditions, as well as in bearings and chain drives, providing long service life and clean operation.

- · Outstanding resistance to oxidative breakdown
- Provides long-term protection from rust and corrosion
- Excellent wear and extreme pressure protection
- Resistant to foaming and air entrapment
- Resistant to contamination

Rotorua Steel Structures Say QUICKSTOCK Has Improved Their Business Hugely

'I love the QUICKSTOCK system, the guys like the QUICKSTOCK system, admin loves the QUICKSTOCK system.'



TELL US A BIT ABOUT ROTORUA STEEL STRUCTURES...

We purchased Rotorua Steel Structures in 2018, although I'd [Shane] worked for the company for a number of years before then and Rotorua Steel Structures actually originated in the 1950's.

Since then the company's specialised in structural steel mainly but also in later years has also been heavily involved in seismic strengthening as well as sawmill steel work and also have a lot to do with the power stations around the Waikato and Bay of Plenty areas.

We have a small, hardworking team of 11. That consists of admin, fabricators, site installers and a protective coatings painter. On top of that we also have 4 little ones that keep us busy at home so work-life balance is important to us. Overall including the team here at RSS we all consider ourselves a big family.



HOW DID YOU MANAGE CONSUMABLE INVENTORY BEFORE QUICKSTOCK?

Before QUICKSTOCK we used to buy all our consumables in bulk to get that better rate from our suppliers. However, that was spread over multiple different suppliers. Looking back at it now, we would have to store all those consumables which we don't have much storage here. My office was filled with them. This office was filled with them, and we had to maintain the stock levels ourselves. Literally we had consumables coming out of our ears.

WHY DID YOU DECIDE TO USE QUICKSTOCK?

What lead us to exploring other options was realising how time consuming it was to manage those stock levels. At first we weren't really managing those levels very well, and so the boys kind of had free reign to consumables, and they were just flying out the door.

But then QUICKSTOCK came. And changed it completely.



HOW DOES THE QUICKSTOCK SYSTEM WORK WITH YOUR OPERATIONS?

Our QUICKSTOCK cabinets are in the office, which are nice and fully stocked. Anything that I [Amelia] take out of the cabinet I'm going to mark off on our check-off sheet which has got everything that we hold in the cabinets.

That stock is taken to top up the boy's workshop cabinet that stores everything that they need for their daily tasks. They will then also sign the products out and assign it to a job so that we are able to keep track of the costings and how much materials they're using on that specific job.

WHAT WERE SOME OF THE COSTS INVOLVED IN ORDERING BEFORE QUICKSTOCK?

Before QUICKSTOCK the biggest cost would be time wasting. So every time we ran out of gloves, or a cut-off disc wasn't there, a sanding disc or glasses or whatever, the list goes on. Every time it's not there and someone has to run down to the shop, that's half an hour gone. And welders don't get paid a dollar an hour so it's not a cheap exercise when you're doing it 2 or 3 times a day. It's actually quite a time-consuming thing trying to manage your own consumables where QUICKSTOCK sort of takes that away.


So we haven't had any issues with it. Every time we've gone to the cupboard it's been there, and I think the guys really appreciate that too. It's not like they have to put down their tools and go and get their bits that we should really have in stock every time they need it.

HAVE YOU EXPERIENCED ANY HURDLES WITH THE QUICKSTOCK SYSTEM?

I wouldn't say there's been any hurdles in getting used to QUICKSTOCK. The only thing that you need to sort of govern individually for yourself, or specifically for your company is what stock levels you need to hold. After that's done then she's pretty straightforward and easy to run.

WOULD YOU SAY QUICKSTOCK HAS IMPROVED YOUR BUSINESS?

I would say QUICKSTOCK has improved our business hugely. I love the QUICKSTOCK system, the guys like the QUICKSTOCK system, admin loves the QUICKSTOCK system. And might I add...the free biscuits - are the best part.



Bostik MS Safe Seal Sealant - 430g

A multipurpose odour free, isocyanate free & solvent free sealant for construction & building. Safe Seal is fully paintable according to DIN 52452, PT4. Not designed to seal immersed joints or below waterline applications.

> Black - ADMSBC0430 White-ADMSWC0430

\$21.37^{ea}

12 or more \$15.08ea



Bostik Simson ISR70-03 Adhesive Sealant - 290ml

A high quality elastic sealant / adhesive based on Silvl Modified Polymers (SMP) and, used with the Dual SMP technology. It is suitable as adhesive or sealant for structures in industrial applications requiring high strength.

> Black - ADISBC0290 Grey - ADISGC0290 White-ADISWC0290

\$26.17^{ea}

12 or more

Bostik Silicone Sealant RTV 922 - Translucent - 300g

- One component, 100% silicone rubber.
- The thixotropic nature of this product ensures that it will not slump, sag or run off surfaces.
- Adheres to a variety of substrates.
- Meets the requirements of many industrial. mining and OEM applications.

ADRTVTC300

\$19.79ea

15 or more

Bostik Simson ISR170-03 Sausage - 600ml

A high quality elastic sealant / adhesive based on Silyl Modified Polymers (SMP) and, used with the Dual SMP technology. It is suitable as adhesive or sealant for structures in industrial applications requiring high strength.

> Black-ADISBS0600 Grey-ADISGS0600 White-ADISWS0600

\$38.60ea

12 or more



MARKER PEN 208

ELITE

euramarc*

High performance permanent paint marking on oily or wet surfaces. Safe to use on stainless steel.

- Unsurpassed writing on challenging surfaces: oily, wet or coated.
- Temperature range -46°C to 66°C.
- High visibility, extremely permanent paint that will dry quickly on all metals.
- · Safe to use on stainless steel and alloys.
- · Xvlene Free, for health and environmental concerns.
- Made in USA.
- · Available in white, yellow, blue and red.

Black and green pens are also available under the Markel brand. View online.

\$8.17^{ea}

Pack of 12

Carton of 48 \$5.19^{ea}



Blue-ASTPENPAMB White - ASTPENPAMW Red-ASTPENPAMR Yellow - ASTPENPAMY

Permanent Marker - Black

Alcohol-based ink, xylene-free, smudge-proof and waterproof so you don't need to worry about causing smears in your work.

 Medium bullet tip and will produce lines between 1.0 and 3.0 mm.

Suitable for wood, metal, vinyl, glass, plastic and more.

ASTPEN20413A

\$3.61^{ea}

Pack of 12 \$2.99ea

Water-Based Paint Marker Pens

Writes on most surfaces, permanent on porous surface, removable on glass.

- Compatible for metal marking prior to galvanizing.*
- · Capped style. Non toxic, Xylene-free.
- Made in Japan.
- * Some galvanizing processes differ by manufacturer, ensure the markings have been removed post aciding.

Fine Tip - ASTPEW20609W

\$5.89^{ea}

\$6.73^{ea}



Medium Tip - ASTPEW20613W



15mm Wide Chisel Tip - ASTPEKW017



\$6.73^{ea}

Pack of 5









RTV

euramarc* **ELITE**

TCT ANNULAR

35mm depth Tungsten Carbide Tipped (TCT) cutters, longest lasting cutter available. Great for harden steels inc stainless steel.

- Premium TCT, will last up to 3 x longer than cobalt.
- 12-16mm cutters use a 90x6.34mm ejector pin, 17-28mm cutters - use a 90x7.98mm ejector pins.



Login to euromarc.co.nz

From

Annular Cutter Ejector Pins

Sizes to suit most annular cutters (step pins for 12mm+).

- 79mm step pin for 12mm+ diameter, and 25mm cutting depth cutter.
- 102mm step pin, for 12mm+ diameter. and 50mm cutting depth cutter.
- 90x6.34mm step pin for 14-16mm cutting depth cutter.
- 90x7.98mm step pin for 17-28mm cutting depth cutter.

79pin - 12+mm x25mm depth cutter DRACEP6425

102pin - 12+mm x50mm depth cutter DRACEP6450

\$8.73^{ea}

\$13.52^{ea}

90x6.34pin - 14-16mm TCT cutter DRACEP7535

90x7.98pin-17+mm TCT cutter DRACEP8035

\$11.67^{ea}

\$11.67^{ea}



50mm HSS ANNULAR CUTTER

- Cutter saves time and energy compared with other drilling methods, drilling speeds 3 x faster than twist drills.
- · Real quality, with a burr-free finish hole.
- Versatility to fit most magnetic drill brands



order placed online over \$280 + GST

euremarc" 25mm HSS ANNULAR CUTTER



LARGE RANGE IN STOCK

Login to euromarc.co.nz

From \$49.98ea

HSS Annular Cutter Set - 25mm Depth

- Quality HSS Annular Cutters in a protective case, great for site work, and to keep your common sizes together.
- 3pc 3 cutters sizes: 14.18.22mm. and 1 step ejector pin.
- 6pc 6 cutters sizes: 14, 16, 18, 20, 22, 24mm, and 1 step ejector pin.



3pc set - DRACS25300

6pc set - DRACS256PC

\$133.04ea

\$267.77^{ea}



ONE LOW FLAT RATE SHIPPING

Any size. Anywhere. Just \$13.65.

25mm depth HSS Annular Cutter for use on most metals.

- Cutters save time and energy compared with other drilling methods, drilling speeds upto 3 x faster than twist drills.
- No step drilling required, just real quality, with a burr-free finish hole.
- Versatility to fit most magnetic drill brands.
- Available in diameters from 10 65mm.
- For use with 79mm ejector pins.

LARGE RANGE IN STOCK

Login to euromarc.co.nz

From \$39.20^{ea}

Order online at **euromarc.co.nz** | **0800 278 600**

sales@euromarc.co.nz

So Quick. So Easy 15

Cotton Stitched Polishing Mop

Cotton layers stitched together for a standard finishing mop. Cotton layers stitched radially for a firm mop.

Less aggressive than sisal mop. Used mostly for a bright standard finish.

Size: 100mm, 150mm, 200mm. 250mm



From \$14.69ea

Swansdown Dolly Polishing Mop

Loose layer mops, used to achieve the highest shine and bright mirror finish. Swansdown give a brighter finish than the Calico mops. To be used with a finishing

Size: 100mm, 150mm, 200mm.



From \$8.49ea

Sisal Untreated **Polishing Mop**

compound.

Great all round mop for removing scratches or grinding marks, and satin finishing. Operate with cutting compound.

Size: 1100mm, 150mm, 200mm, 250mm

12mm wide sections: 1, 2, 3 or 4



From \$10.29ea

Maxicut Bar

· Fastest cutting compounds on all metal from soft aluminium to stainless steel.



- · Used on sisal mop for removal of scratches or orange peel on stainless steel.
- Use with Coolair mop on aluminium.

From \$22.06ea

ORION

Coarse **Cutter Bar**

- The coarse cutting compound like A80 for general cutting.
- Used on sisal mops to remove scratches and grind marks. Best for high-pressure work.

From \$19.46ea

Multishine Bar

- · Best seller if you are looking for a quick bright finish.
- Multi-purpose with the ability to cut with a good bright finish on all metals.
- Used with a cotton or sisal stitched mop.

From \$21.13^{ea}

Hyperfin Bar

- Great general purpose finishing bar, economical bar if not needing a very bright mirror finish.
- Dry in composition, polishes to a high finish with soft cotton mop.

From \$18.21ea

Bora9 Ceramic Fibre Disc

Features:

- · New generation ceramic grain: Experience the aggressive, cool cutting and long life caused by the sharp crystal shape grain. \$1.47ea
- Less disc changes = more grinding time.

Grits:

P36. P60. P80. P120.

115mm \$2.03ea

From

100mm

From

125mm

From

From

180mm \$4.90ea

Rap-Lock Bora 7 Ceramic Sanding **Discs**

100% ceramic for fast cutting under pressure, and cool cutting on stainless.

Operation:

- · Grinding seams and spot welds.
- · General machining of stainless steel.
- De-burring casts.
- · Carbon steel.
- · Ferrous metals.

Grit: P40, P60, P80, P100, P200,

Sizes: 50mm. 75mm. 100mm.



Ask for a FREE sample

50mm

Pack of 50 \$1.95^{ea}

75mm

Pack of 50 \$1.97^{ea}

100mm

Pack of 25 \$2.02^{ea}





